December 2011

## Protocol for CD3 Stimulation of Human T Cells for the Detection of Activation Markers

## **Materials and Reagents**

Full Name	Short Name	Catalog Number
Ficoll-Paque™ Plus	Ficoll-Paque Plus	-
Suspension medium supplemented with 1% glutamine, 1%		
penicillin/streptomycin, and 10% FBS	medium	
CD3, clone HIT3a, soluble NA/LE format (for soluble option)	CD3 clone HIT3a	555336
CD3, clone UCHT1 (for immobilized option)	CD3 clone UCHT1	555329
BD Falcon <sup>™</sup> 96-well U-bottom microtiter plate, or equivalent	round-bottom plate	353918
CD28, clone CD28.2, soluble NA/LE format (for co-		
stimulation option)	CD28	555725
Protein G (Sigma) (for co-stimulation enhancement)	Protein G	
Protein G (Sigma) (for co-stimulation enhancement)	CD28 Protein G	555725

## **Procedural Notes**

- Select one CD3 clone according to the format you want to use. Clone HIT3a is optimal for the soluble format, while clone UCHT1 is optimal for the immobilized format.
- To use the immobilized format, coat the CD3 UCHT1 antibody onto a plate at 5 to 10 μg/mL at 4°C, overnight.
- Either clone can be used in combination with CD28 for co-stimulation.
- Addition of Protein G significantly enhances co-stimulation, presumably through cross-linking.

## Procedure

- 1. Isolate human PBMCs with Ficoll-Paque Plus according to the manufacturer's instructions.
- 2. Suspend PBMCs in medium at 10<sup>6</sup> cells/mL.
- 3. Do one of the following depending on the format you are using:
  - For the soluble format, incubate 10<sup>6</sup> cells with CD3 clone HIT3a at 1 μg/mL final concentration in culture for 3 days (7% CO<sub>2</sub>, 37°C).
  - For the immobilized format, add cells to the CD3 clone UCHT1-coated plate.
- 4. Wash the cells twice and resuspend them in medium at 10<sup>6</sup> cells/mL.
- 5. Distribute the cells in a round-bottom plate at  $10^5$  cells per well.
- 6. [Optional for co-stimulation] Add CD28, clone CD28.2 and optionally Protein G at 5 μg/mL each final concentration, and incubate the plate for an additional 3 days (5–7% CO<sub>2</sub> at 37°C).

