

BD Biosciences
Mouse Research Reagents

Product List



Abbreviations

The following are common abbreviations that might appear throughout the Mouse Research Reagents Product List.

| | | | |
|--------------|---|---------|---|
| AAPS | Applications | IF | Immunofluorescence |
| Ar | Armenian hamster | IHC | Immunohistochemistry |
| Bab | Baboon | IHC(F)* | Immunohistochemistry—formalin (antigen retrieval required) |
| BD IMag - DM | Direct Magnet | IHC(Fr) | Immunohistochemistry—frozen |
| Bioimg | Bioimaging | IHC(P) | Immunohistochemistry—formalin fixed, paraffin |
| Block | Blocking | IHC(Zn) | Immunohistochemistry—zinc fixed |
| Bov | Bovine | IP | Immunoprecipitation |
| Chick | Chicken | IP/WB | Immunoprecipitation/Western blot |
| Ctrl | Controls | ISH | In situ hybridization |
| Cost | Co-stimulation | Lym | Lymphocyte |
| Cyno | Cynomolgus | Mam | Mammalian |
| EA | Enzyme assay | Monk | Monkey |
| ELISA | Enzyme-linked immunosorbent assay | Ms | Mouse |
| ELISA Cap. | ELISA Capture | NA/LE | No azide, low endotoxin |
| ELISA Det. | ELISA Detection | Neu | Neutralization |
| ELISPOT | Enzyme-linked immunospot | NHP | Non-human primate |
| FA | Functional assay | PE | Phycoerythrin |
| FCM | Flow cytometry | Pg | Pigeon |
| FCM* | Flow cytometry. Suitable for use with intracellular staining protocols using BD Cytotfix/Cytoperm™. | Pig | Porcine |
| FCM/IA | Flow cytometry/immunoassay | Prim | Primate |
| FITC | Fluorescein isothiocyanate | Qua | Quail |
| G Pig | Guinea pig | Rab | Rabbit |
| GMP | Good Manufacturing Practices | REACT | Reactivity |
| Gt | Goat | Rhe | Rhesus |
| Ham | Hamster | RUO | For Research Use Only. Not for use in diagnostic or therapeutic procedures. |
| HRP | Horseradish peroxidase | Sep | Cell separation |
| Hs | Horse | Syr Ham | Syrian hamster |
| Hu | Human | Tr | Trout |
| IC | Intracellular staining | Vir | Viral |
| ICtrl | Isotype control | WB | Western blot |
| IC Ctrl | Intracellular control | Xen | Xenopus |
| ICC | Immunocytochemistry (cytospins) | | |
| IC/FCM | Intracellular staining (flow cytometry) | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | | |
|---|-------|------------------------|-----------------------------------|-----------------------------|-------------------------------|-------------------------------|--------------------------|------------------|----------|--------|--------|
| CD1d (CD1.1, Ly-38) | Ms | 1B1 | Rat (Lewis) IgG _{2b} , κ | Block, FCM, IP | RUO | NA/LE | 0.5 mg | 559438 | | | |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553843 | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553844 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553845 | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 553846 | | | |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 559871 | | | |
| | | | | FCM | RUO | Purified | 0.25 mg | 557599 | | | |
| CD1d:Ig Recombinant Fusion Protein, Mouse DimerX | | | | | | | | | | | |
| CD2 (LFA-2) | Ms | RM2-5 | Rat (SD) IgG _{2b} , λ | FCM, IP | RUO | Purified | 0.5 mg | 553109 | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553110 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553111 | | | |
| | | | | FCM | RUO | PE | 0.2 mg | 553112 | | | |
| CD3 Molecular Complex | Ms | 17A2 | Rat (SD) IgG _{2b} , κ | Cost, Cyt, FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 555273 | | | |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557869 | | | |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 561388 | | | |
| | | | | FCM | RUO | APC-Cy TM 7 | 50 µg | 560590 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 555274 | | | |
| | | | | FCM | RUO | BD Horizon TM V450 | 50 µg | 561389 | | | |
| | | | | FCM | RUO | PE | 0.2 mg | 555275 | | | |
| | | | | FCM | RUO | PE-Cy TM 5 | 0.1 mg | 555276 | | | |
| | | | | FCM | RUO | PE-Cy TM 7 | 50 µg | 560591 | | | |
| | | | | FCM | RUO | PerCP-Cy TM 5.5 | 50 µg | 560527 | | | |
| | | | | CD3e (CD3 ε chain) | Ms | 145-2C11 | Armenian Hamster IgG1, κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg |
| Cost, FCM, IP, WB | RUO | Purified | 0.1 mg | | | | | 557306 | | | |
| Cost, FCM, IP, WB | RUO | Purified | 0.5 mg | | | | | 553058 | | | |
| IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | | | | | 550275 | | | |
| FCM | RUO | Biotin | 0.1 mg | | | | | 553059 | | | |
| FCM | RUO | Biotin | 0.5 mg | | | | | 553060 | | | |
| FCM | RUO | Alexa Fluor® 488 | 0.1 mg | | | | | 557666 | | | |
| FCM, IC/FCM | RUO | APC | 0.1 mg | | | | | 553066 | | | |
| FCM | RUO | APC-Cy7 | 25 µg | | | | | 561042 | | | |
| FCM | RUO | APC-Cy7 | 0.1 mg | | | | | 557596 | | | |
| FCM | RUO | FITC | 0.1 mg | | | | | 553061 | | | |
| FCM | RUO | FITC | 0.5 mg | | | | | 553062 | | | |
| FCM* | RUO | PE | 0.1 mg | | | | | 553063 | | | |
| FCM* | RUO | PE | 0.2 mg | | | | | 553064 | | | |
| FCM | RUO | PE-Cy5 | 0.1 mg | | | | | 553065 | | | |
| FCM | RUO | PE-Cy7 | 25 µg | | | | | 561100 | | | |
| FCM | RUO | PE-Cy7 | 0.1 mg | | | | | 552774 | | | |
| FCM | RUO | PerCP | 0.1 mg | | | | | 553067 | | | |
| FCM | RUO | PerCP | 25 µg | | | | | 561089 | | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | | | | | 551163 | | | |
| FCM | RUO | PerCP-Cy5.5 | 25 µg | | | | | 561108 | | | |
| 500A2 | | Syrian Hamster IgG2, κ | Cost, FCM, IP | | | | | RUO | Purified | 0.5 mg | 553238 |
| | | | IHC(Fr) | | | | | RUO | Purified | 1 mL | 550277 |
| | | | FCM | RUO | Biotin | 0.5 mg | 553239 | | | | |
| | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557984 | | | | |
| | | | FCM | RUO | BD Horizon V450 | 25 µg | 560804 | | | | |
| | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560801 | | | | |
| | | | FCM | RUO | BD Horizon TM V500 | 25 µg | 560773 | | | | |
| | | | FCM | RUO | BD Horizon V500 | 0.1 mg | 560771 | | | | |
| | | | FCM | RUO | Pacific Blue TM | 0.1 mg | 558214 | | | | |
| | | | FCM | RUO | PE | 0.1 mg | 553240 | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|-------------|-------|------------------------------|---------------------------------|-----------------------|------------------|----------|--------|----------|
| CD4 (L3T4) | Ms | GK1.5 | Rat (Lewis) IgG _{2b} κ | Block, Cost, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553726 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553727 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553728 |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 552051 |
| | | | | FCM | RUO | APC-H7 | 0.1 mg | 560181 |
| | | | | FCM* | RUO | APC-H7 | 25 µg | 560246 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557307 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553729 |
| | | | | FCM | RUO | PE | 0.1 mg | 557308 |
| | | | | FCM | RUO | PE | 0.2 mg | 553730 |
| | | H129.19 | Rat (Lou) IgG _{2a} κ | Block, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553646 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553647 |
| | | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550278 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 553648 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553649 |
| | | | | FCM | RUO | FITC | 0.1 mg | 553650 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553651 |
| | | | | FCM | RUO | PE | 0.1 mg | 553652 |
| | | | | FCM | RUO | PE | 0.2 mg | 553653 |
| | | | | FCM | RUO | PE-Cy5 | 0.1 mg | 553654 |
| | RM4-4 | Rat (SD) IgG _{2b} κ | FCM | RUO | Purified | 0.5 mg | 553053 | |
| | | | FCM | RUO | Biotin | 0.1 mg | 557443 | |
| | | | FCM | RUO | FITC | 0.5 mg | 553055 | |
| | RM4-5 | Rat (DA) IgG _{2b} κ | FCM, IP | RUO | Purified | 0.5 mg | 553043 | |
| | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550280 | |
| | | | FCM | RUO | Biotin | 0.1 mg | 553044 | |
| | | | FCM | RUO | Biotin | 0.5 mg | 553045 | |
| | | | FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557667 | |
| | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557681 | |
| | | | FCM | RUO | Alexa Fluor® 700 | 25 µg | 561025 | |
| | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557956 | |
| | | | FCM | RUO | APC | 0.1 mg | 553051 | |
| | | | FCM | RUO | APC | 25 µg | 561091 | |
| | | | FCM | RUO | FITC | 0.1 mg | 553046 | |
| | | | FCM | RUO | FITC | 0.5 mg | 553047 | |
| | | | FCM | RUO | BD Horizon V450 | 25 µg | 560470 | |
| | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560468 | |
| | | | FCM | RUO | BD Horizon V500 | 25 µg | 560783 | |
| | | | FCM | RUO | BD Horizon V500 | 0.1 mg | 560782 | |
| | | | FCM | RUO | Pacific Blue™ | 0.1 mg | 558107 | |
| | FCM* | RUO | PE | 0.1 mg | 553048 | | | |
| | FCM* | RUO | PE | 0.2 mg | 553049 | | | |
| | FCM | RUO | PE-Cy5 | 0.1 mg | 553050 | | | |
| | FCM | RUO | PE-Cy7 | 25 µg | 561099 | | | |
| | FCM | RUO | PE-Cy7 | 0.1 mg | 552775 | | | |
| | FCM | RUO | PerCP | 0.1 mg | 553052 | | | |
| | FCM | RUO | PerCP | 25 µg | 561090 | | | |
| | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 550954 | | | |
| | FCM | RUO | PerCP-Cy5.5 | 25 µg | 561115 | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|------------------------|-------|-------------|-------------------------------|---------------------------------------|-----|------------------|--------|----------|
| CD5 (Ly-1) | Ms | 53-7.3 | Rat (Lou) IgG _{2a} κ | ELISA, FCM, IHC(F), IHC(Fr), IP | RUO | Purified | 0.5 mg | 553017 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 553018 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553019 |
| | | | | FCM | RUO | APC | 0.1 mg | 550035 |
| | | | | FCM | RUO | FITC | 0.1 mg | 553020 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553021 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 561244 |
| | | | | FCM | RUO | PE | 0.1 mg | 553022 |
| | | | | FCM | RUO | PE | 0.2 mg | 553023 |
| | | | | FCM | RUO | PE-Cy5 | 0.1 mg | 553024 |
| FCM | RUO | PerCP | 0.1 mg | 553025 | | | | |
| CD5.1 (Ly-1.1) | Ms | H11-86.1 | Mouse (BALB/c) IgM, κ | FCM | RUO | FITC | 0.1 mg | 557487 |
| CD8a (Ly-2) | Ms | 53-6.7 | Rat (Lou) IgG _{2a} κ | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550281 |
| | | | | Block, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553026 |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 558733 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553027 |
| | | | | FCM, Sep | RUO | Biotin | 0.1 mg | 553028 |
| | | | | FCM, Sep | RUO | Biotin | 0.5 mg | 553029 |
| | | | | FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557668 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557682 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557959 |
| | | | | FCM | RUO | APC | 25 µg | 561093 |
| | | | | FCM | RUO | APC | 0.1 mg | 553035 |
| | | | | FCM | RUO | APC-H7 | 25 µg | 560247 |
| | | | | FCM | RUO | APC-H7 | 0.1 mg | 560182 |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 557654 |
| | | | | FCM | RUO | FITC | 0.1 mg | 553030 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553031 |
| | | | | FCM | RUO | BD Horizon V450 | 25 µg | 560471 |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560469 |
| | | | | FCM | RUO | BD Horizon V500 | 25 µg | 560778 |
| | | | | FCM | RUO | BD Horizon V500 | 0.1 mg | 560776 |
| | | | | FCM | RUO | Pacific Blue™ | 0.1 mg | 558106 |
| | | | | FCM | RUO | PE | 25 µg | 561095 |
| | | | | FCM* | RUO | PE | 0.1 mg | 553032 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553033 |
| | | | | FCM | RUO | PE-Cy5 | 25 µg | 561094 |
| | | | | FCM | RUO | PE-Cy5 | 0.1 mg | 553034 |
| | | | | FCM | RUO | PE-Cy7 | 25 µg | 561097 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 552877 |
| | | | | FCM | RUO | PerCP | 25 µg | 561092 |
| | | | | FCM | RUO | PerCP | 0.1 mg | 553036 |
| FCM | RUO | PerCP-Cy5.5 | 25 µg | 561109 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 551162 | | | | |
| | | H35-17.2 | Rat IgG _{2b} κ | Cyt, FCM, IHC(Fr), IHC(Zn), IP | RUO | Purified | 0.1 mg | 550797 |
| | | | | FCM | RUO | PE | 0.1 mg | 550798 |
| CD8b.2 (Ly-3.2) | Ms | 53-5.8 | Rat (Lou) IgG ₁ κ | FCM, IF, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553038 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553039 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553040 |
| | | | | FCM | RUO | PE | 0.1 mg | 553041 |
| CD9 | Ms | KMC8 | Rat (Lou) IgG _{2a} κ | Block, Cost, FCM, IF, IHC(Fr), IP, WB | RUO | NA/LE | 0.5 mg | 553758 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 558749 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|-------|-------------|---|-----------------------------------|--------|------------------|---------------------------------------|----------------|
| CD11a (Integrin α_L chain, LFA-1 α) | Ms | 2D7 | Rat IgG _{2b} , κ | FCM | RUO | Purified | 0.5 mg | 553118 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557365 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553120 |
| | | | | FCM | RUO | PE | 0.1 mg | 553121 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 558191 |
| | | M17/4 | Rat IgG _{2b} , κ | Block, FCM, IP | RUO | NA/LE | 0.5 mg | 553337 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550528 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557455 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553340 |
| | | | | CD11b (Integrin α_M chain) | Hu, Ms | M17/0 | Rat (DA) IgG _{2b} , κ | Block, FCM, IP |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 557394 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553308 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550282 |
| | | | | FCM, IF, Sep | RUO | Biotin | 0.1 mg | 557395 |
| | | | | FCM, IF, Sep | RUO | Biotin | 0.5 mg | 553309 |
| | | | | FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557672 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557686 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557960 |
| | | | | FCM | RUO | APC | 0.1 mg | 553312 |
| | | | | FCM | RUO | APC-Cy7 | 25 μ g | 561039 |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 557657 |
| | | | | FCM, IF | RUO | FITC | 0.1 mg | 557396 |
| | | | | FCM, IF | RUO | FITC | 0.5 mg | 553310 |
| | | | | FCM | RUO | BD Horizon V450 | 25 μ g | 560456 |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560455 |
| | | | | FCM | RUO | PE | 0.1 mg | 557397 |
| | | | | FCM | RUO | PE | 0.2 mg | 553311 |
| | | | | FCM | RUO | PE-Cy7 | 25 μ g | 561098 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 552850 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 25 μ g | 561114 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 550993 |
| CD11c (Integrin α_X chain) | Ms | HL3 | Armenian Hamster IgG1, λ 2 | FCM, IP | RUO | Purified | 0.5 mg | 553799 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550283 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553800 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 μ g | 560583 |
| | | | | FCM | RUO | APC | 25 μ g | 561119 |
| | | | | FCM | RUO | APC | 0.1 mg | 550261 |
| | | | | FCM | RUO | APC-Cy7 | 50 μ g | 561241 |
| | | | | FCM | RUO | FITC | 25 μ g | 561045 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557400 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553801 |
| | | | | FCM | RUO | BD Horizon V450 | 50 μ g | 560521 |
| | | | | FCM | RUO | PE | 25 μ g | 561044 |
| | | | | FCM | RUO | PE | 0.1 mg | 557401 |
| | | | | FCM | RUO | PE | 0.2 mg | 553802 |
| | | | | FCM | RUO | PE-Cy7 | 25 μ g | 561022 |
| FCM | RUO | PE-Cy7 | 0.1 mg | 558079 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 50 μ g | 560584 | | | | |
| CD13 | Ms | R3-242 | Rat (Lewis) IgG ₁ , κ | FCM | RUO | FITC | 0.1 mg | 558744 |
| | | | | FCM | RUO | PE | 0.1 mg | 558745 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|-------|-----------------|--|------------------------------|-----------------|---------------------------|------------|----------|
| CD14 | Ms | 4C1/CD14 | Rat (DA) IgG _{2b} , κ | Block, FCM, IP | RUO | NA/LE | 0.5 mg | 557896 |
| | | | Rat (Lou) IgG ₁ , κ | FCM, WB | RUO | Purified | 0.5 mg | 553738 |
| | | rmC5-3 | FCM | RUO | APC | 50 µg | 560634 | |
| | | | FCM | RUO | APC-Cy7 | 50 µg | 560636 | |
| | | | FCM | RUO | FITC | 0.5 mg | 553739 | |
| | | | FCM | RUO | BD Horizon V450 | 50 µg | 560639 | |
| | | | FCM | RUO | PE | 0.1 mg | 553740 | |
| | | | FCM | RUO | PerCP-Cy5.5 | 50 µg | 560638 | |
| | | | CD16/CD32 (Fcγ III/II Receptor) | Ms | 2.4G2 | Rat IgG _{2b} , κ | Block, FCM | RUO |
| Block, FCM, IHC(Fr), IP | RUO | Purified | | | | | 0.1 mg | 553141 |
| Block, FCM, IHC(Fr), IP | RUO | Purified | | | | | 0.5 mg | 553142 |
| FCM | RUO | Biotin | | | | | 0.5 mg | 553143 |
| FCM | RUO | APC | | | | | 0.1 mg | 558636 |
| FCM | RUO | APC-Cy7 | | | | | 50 µg | 560541 |
| FCM | RUO | FITC | | | | | 0.5 mg | 553144 |
| FCM | RUO | BD Horizon V450 | | | | | 50 µg | 560539 |
| FCM | RUO | PE | | | | | 0.2 mg | 553145 |
| FCM | RUO | PE-Cy7 | | | | | 50 µg | 560829 |
| FCM | RUO | PerCP-Cy5.5 | | | | | 50 µg | 560540 |
| CD18 (Integrin β₂ chain, CR3/CR4) | Ms | C71/16 | Rat (Lewis) IgG _{2a} , κ | FCM | RUO | Biotin | 0.1 mg | 557439 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553292 |
| | | | | FCM | RUO | PE | 0.1 mg | 553293 |
| | | GAME-46 | Rat (SD) IgG ₁ , κ | Block, FCM, IP | RUO | NA/LE | 0.5 mg | 555280 |
| | | | | FCM, IHC(Fr), IP | RUO | Purified | 0.1 mg | 557440 |
| | | M18/2 | Rat IgG _{2a} , κ | Block, FA, FCM | RUO | NA/LE | 0.5 mg | 553341 |
| | | | | FCM, IHC(F), IHC(Fr), IP, WB | RUO | Purified | 0.1 mg | 557437 |
| CD19 | Ms | 1D3 | Rat (Lewis) IgG _{2a} , κ | Cost, FCM | RUO | NA/LE | 0.5 mg | 553782 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553783 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550284 |
| | | | | FCM, IF | RUO | Biotin | 0.5 mg | 553784 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557684 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557958 |
| | | | | FCM | RUO | APC | 0.1 mg | 550992 |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 557655 |
| | | | | FCM | RUO | APC-H7 | 25 µg | 560245 |
| | | | | FCM | RUO | APC-H7 | 0.1 mg | 560143 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557398 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553785 |
| | | | | FCM | RUO | BD Horizon V450 | 25 µg | 560376 |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560375 |
| | | | | FCM* | RUO | PE | 0.1 mg | 557399 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553786 |
| | | | | FCM, IC/FCM | RUO | PE-Cy7 | 0.1 mg | 552854 |
| FCM | RUO | PerCP-Cy5.5 | 25 µg | 561113 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 551001 | | | | |
| CD21/CD35 (CR2/CR1) | Ms | 7G6 | Rat (SD) IgG _{2b} , κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 559831 |
| | | | | FCM, IHC(Fr), IP, WB | RUO | Purified | 0.5 mg | 553817 |
| | | | | FCM | RUO | APC | 0.1 mg | 558658 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553818 |
| | | | | FCM | RUO | PE | 0.2 mg | 552957 |
| CD22.2 (Lyb-8.2) | Ms | Cy34.1 | Mouse (DBA/1) IgG ₁ , κ | FCM, IHC(Fr), IP | RUO | Biotin | 0.5 mg | 553382 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557474 |
| | | | | FCM | RUO | PE | 0.2 mg | 553384 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | |
|--|---------|---------------------------|--|---|------------------------------|-----------------|----------|----------|--------|
| CD23 (FcεRII) | Ms | B3B4 | Rat (Lou) IgG _{2a} , κ | EM, FCM, IHC(Fr) | RUO | Purified | 0.5 mg | 553136 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553137 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553138 | |
| | | | | FCM | RUO | PE | 0.2 mg | 553139 | |
| CD24 (Heat Stable Antigen) | Ms | 30-F1 | Rat (Lou) IgG _{2c} , κ | FCM | RUO | Biotin | 0.5 mg | 555296 | |
| | | | Rat (Lewis) IgM, κ | FCM, IHC(Fr), WB | RUO | Purified | 0.5 mg | 553146 | |
| | | M1/69 | Rat (DA) IgG _{2b} , κ | Cyt, FCM, IHC(F)*, IHC(Fr), IHC(Zn), WB | RUO | Purified | 0.1 mg | 557436 | |
| | | | FCM | RUO | Biotin | 0.5 mg | 553260 | | |
| | | | FCM | RUO | FITC | 0.5 mg | 553261 | | |
| | | | FCM | RUO | PE | 25 µg | 561079 | | |
| | | | FCM* | RUO | PE | 0.1 mg | 553262 | | |
| | | | FCM | RUO | PE-Cy7 | 50 µg | 560536 | | |
| CD25 (IL-2 Receptor α chain, p55) | Ms | 3C7 | Rat (Lewis) IgG _{2b} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553073 | |
| | | | | FCM | RUO | APC | 0.1 mg | 558643 | |
| | | | | FCM | RUO | FITC | 0.1 mg | 558689 | |
| | | | | FCM* | RUO | PE | 0.1 mg | 553075 | |
| | | | 7D4 | Rat (Lewis) IgM, κ | Cyt, ELISA, FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553068 |
| | | | | | FCM | RUO | Biotin | 0.1 mg | 553069 |
| | | | | | FCM | RUO | Biotin | 0.5 mg | 553070 |
| | | | | | IHC(Fr) | RUO | Biotin | 1 mL | 550529 |
| | | | | | FCM | RUO | FITC | 0.1 mg | 553071 |
| | | | | | FCM | RUO | FITC | 0.5 mg | 553072 |
| | | PC61 | Rat (Outbred OFA) IgG ₁ , λ | Block, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553864 | |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 557425 | |
| | | | | FCM | RUO | APC | 25 µg | 561048 | |
| | | | | FCM | RUO | APC | 0.1 mg | 557192 | |
| | | | | FCM | RUO | APC-Cy7 | 25 µg | 561038 | |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 557658 | |
| | | FCM | BD Horizon V450 | RUO | 50 µg | 561257 | | | |
| | | | PE | RUO | 25 µg | 561065 | | | |
| | | | PE | RUO | 0.2 mg | 553866 | | | |
| | | | PE-Cy7 | RUO | 0.1 mg | 552880 | | | |
| | | | PerCP-Cy5.5 | RUO | 25 µg | 561112 | | | |
| | | | PerCP-Cy5.5 | RUO | 0.1 mg | 551071 | | | |
| CD26 (THAM, DPP IV) | Ms | | H194-112 | Rat (Lou) IgG _{2a} , κ | FCM | RUO | FITC | 0.1 mg | 559652 |
| CD27 | Ms | | LG.3A10 | Armenian Hamster IgG1, κ | Cost, FCM, IHC(Fr), IP | RUO | NA/LE | 0.5 mg | 553777 |
| | | | | | FCM | RUO | Biotin | 0.1 mg | 558753 |
| | | | | | FCM | RUO | APC | 50 µg | 560691 |
| | | FCM | | | RUO | BD Horizon V450 | 50 µg | 561245 | |
| | | FCM* | | | RUO | PE | 0.1 mg | 558754 | |
| CD28 | Ms | 37.51 | Syrian Hamster IgG2, λ1 | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 553294 | |
| | | | | FCM, IHC(Fr), IP | RUO | Purified | 0.1 mg | 557393 | |
| | | | | FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553295 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553296 | |
| | | | | FCM* | RUO | PE | 0.2 mg | 553297 | |
| CD29 (Integrin β₁ chain) | Ms | 9EG7 | Rat IgG _{2a} , κ | FCM, IP, WB | RUO | Purified | 0.5 mg | 553715 | |
| | | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550531 | |
| | Ms, Rat | Ha2/5 | Armenian Hamster IgM, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 555002 | |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 555003 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 555004 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 555005 | |
| | HMβ1-1 | Armenian Hamster IgG2, λ1 | FCM, IP | RUO | Purified | 0.5 mg | 553837 | | |
| | | | IHC(Fr) | RUO | Purified | 1 mL | 550530 | | |
| | Ms | KMI6 | Rat (Lou) IgG _{2a} , κ | FCM, IP, WB | RUO | Purified | 0.1 mg | 558741 | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|---------|------------|-----------------------------------|---------------------------|-----|------------------|--------|----------|
| CD30 | Ms | mCD30.1 | Armenian Hamster IgG1, κ | FCM | RUO | Biotin | 0.5 mg | 553824 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553825 |
| CD21/CD35 (CR2/CR1) | Ms | 7G6 | Rat (SD) IgG _{2b} , κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 559831 |
| | | | | FCM, IHC(Fr), IP, WB | RUO | Purified | 0.5 mg | 553817 |
| | | | | FCM | RUO | APC | 0.1 mg | 558658 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553818 |
| | | | | FCM | RUO | PE | 0.2 mg | 552957 |
| CD31 (PECAM-1) | Ms | 390 | Rat (Lewis) IgG _{2a} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553708 |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 558736 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 558737 |
| | | | | FCM | RUO | FITC | 0.1 mg | 558738 |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 561410 |
| | | MEC 13.3 | Rat (LEW) IgG _{2a} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553369 |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 557355 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553370 |
| | | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550274 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553371 |
| | | | | FCM | RUO | APC | 0.1 mg | 551262 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553372 |
| | | | | FCM | RUO | PE | 25 µg | 561073 |
| FCM | RUO | PE | 0.2 mg | 553373 | | | | |
| CD34 (gp 105-120) | Ms | RAM34 | Rat IgG _{2a} , κ | FCM | RUO | Purified | 0.5 mg | 553731 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 25 µg | 560233 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 560230 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 560518 |
| | | | | FCM | RUO | FITC | 0.1 mg | 560238 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553733 |
| | | | | FCM | RUO | PE | 0.2 mg | 551387 |
| CD35 (CR1, CD21b) | Ms | 8C12 | Rat (SD) IgG _{2a} , κ | FCM, IP, WB | RUO | Purified | 0.1 mg | 558768 |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553816 |
| CD36 (Scavenger Receptor) | Ms, Rat | CRF D-2712 | Mouse (CD36 -/-) IgA, κ | FA, FCM, IF, IP | RUO | Purified | 0.5 mg | 552544 |
| CD38 | Ms | 90 | Rat IgG _{2a} , κ | FCM | RUO | Biotin | 0.5 mg | 553762 |
| | | | | FCM | RUO | FITC | 0.1 mg | 558813 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553764 |
| CD40 | Ms | 3/23 | Rat (Lou) IgG _{2a} , κ | Cost, FCM | RUO | NA/LE | 0.5 mg | 553787 |
| | | | | FCM | RUO | Purified | 0.5 mg | 553788 |
| | | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550285 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553789 |
| | | | | FCM | RUO | APC | 0.1 mg | 558695 |
| | Ms, Rat | HM40-3 | Armenian Hamster IgM, κ | FCM | RUO | FITC | 0.5 mg | 553790 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553791 |
| | | | | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 553721 |
| | | | | FCM | RUO | Purified | 0.1 mg | 553722 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553723 |
| CD41 (Integrin α _{IIb} chain) | Ms | MWRReg30 | Rat IgG ₁ , κ | Cyt, FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553847 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553848 |
| | | | | FCM | RUO | PE | 0.1 mg | 558040 |
| CD42d (Platelet Glycoprotein V) | Ms, Rat | 1C2 | Armenian Hamster IgG3, λ.1 | FCM, ICC, IF, IHC(Fr), IP | RUO | Purified | 0.5 mg | 552992 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | |
|--|-------|--|------------------------------------|--------------------------|------------------------------|------------------|---------|----------|--------|--------|
| CD43 (Ly-48, Leukosialin) | Ms | S7 | Rat (DA x Lou) IgG _{2b} κ | FCM, WB | RUO | Purified | 0.5 mg | 553268 | | |
| | | | | IHC(F), IHC(Fr) | RUO | Purified | 1 mL | 552366 | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553269 | | |
| | | | | FCM | RUO | APC | 50 µg | 560663 | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553270 | | |
| | | | | FCM* | RUO | PE | 0.2 mg | 553271 | | |
| CD44 (Pgp-1, H-CAM, Ly-24) | Ms | IM7 | Rat IgG _{2b} κ | Block, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553130 | | |
| | | | | Cyt, ELISA, FCM, IP | RUO | Purified | 0.5 mg | 553131 | | |
| | | | | IHC(F)*, IHC(Fr) | RUO | Purified | 1 mL | 550538 | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553132 | | |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 560567 | | |
| | | | | FCM | RUO | APC | 0.1 mg | 559250 | | |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560568 | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553133 | | |
| | | | | FCM | RUO | BD Horizon V450 | 25 µg | 560452 | | |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560451 | | |
| | | FCM | RUO | BD Horizon V500 | 25 µg | 560781 | | | | |
| | | FCM | RUO | BD Horizon V500 | 0.1 mg | 560780 | | | | |
| | | FCM | RUO | PE | 0.1 mg | 553134 | | | | |
| | | FCM | RUO | PE-Cy5 | 0.1 mg | 553135 | | | | |
| | | FCM | RUO | PE-Cy7 | 50 µg | 560569 | | | | |
| | | FCM | RUO | PerCP-Cy5.5 | 50 µg | 560570 | | | | |
| | | | | KM114 | Rat (Lou) IgG ₁ κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553724 |
| | | | | | | FCM, WB | RUO | Purified | 0.1 mg | 558739 |
| | | CD45 (Leukocyte Common Antigen) | Hu, Ms, Rat | 69 | Mouse IgG ₁ κ | IF, IP, WB | RUO | Purified | 50 µg | 610265 |
| | | | | | | IF, IP, WB | RUO | Purified | 150 µg | 610266 |
| CD45 (Leukocyte Common Antigen, Ly-5) | Ms | 30-F11 | Rat (Lou) IgG _{2b} κ | Cyt, FCM, IP | RUO | Purified | 0.5 mg | 553076 | | |
| | | | | IHC(F), IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550539 | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 553077 | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553078 | | |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.05 mg | 560510 | | |
| | | | | FCM | RUO | APC | 25 µg | 561018 | | |
| | | | | FCM | RUO | APC | 0.1 mg | 559864 | | |
| | | | | FCM | RUO | APC-Cy7 | 25 µg | 561037 | | |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 557659 | | |
| | | | | FCM | RUO | FITC | 25 µg | 561088 | | |
| | | | | FCM | RUO | FITC | 0.1 mg | 553079 | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553080 | | |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560501 | | |
| | | | | FCM | RUO | BD Horizon V500 | 50 µg | 561487 | | |
| | | | | FCM | RUO | PE | 25 µg | 561087 | | |
| | | | | FCM | RUO | PE | 0.1 mg | 553081 | | |
| | | | | FCM | RUO | PE-Cy5 | 0.1 mg | 553082 | | |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 552848 | | |
| | | | | FCM | RUO | PerCP | 25 µg | 561047 | | |
| | | | | FCM | RUO | PerCP | 0.1 mg | 557235 | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 550994 | | | | | | |
| CD45.1 | Ms | A20 | Mouse (A.SW) IgG _{2a} κ | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553774 | | |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 561235 | | |
| | | | | FCM | RUO | APC | 0.1 mg | 558701 | | |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560579 | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553775 | | |
| | | | | FCM | RUO | PE | 0.2 mg | 553776 | | |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560578 | | |
| | | | | FCM | RUO | PerCP-Cy5.5 | 50 µg | 560580 | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|-------------|--------|--------------|---------------------------------|---------------------------------------|-----|------------------|--------|----------|
| CD45.2 | Ms | 104 | Mouse (SJL) IgG _{2b} κ | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553771 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 560693 |
| | | | | FCM | RUO | APC | 0.1 mg | 558702 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560694 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553772 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560697 |
| | | | | FCM | RUO | PE | 0.1 mg | 560695 |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560696 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 25 µg | 561096 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 552950 |
| CD45R/B220 | Hu, Ms | RA3-6B2 | Rat IgG _{2a} κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 553083 |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 557390 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553084 |
| | | | | IHC(F), IHC(Fr) | RUO | Purified | 1 mL | 550286 |
| | | | | FCM, IHC(F), IHC(Fr), IHC(Zn), Sep | RUO | Biotin | 0.1 mg | 553085 |
| | | | | FCM, IHC(F), IHC(Fr), IHC(Zn), Sep | RUO | Biotin | 0.5 mg | 553086 |
| | | | | FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557669 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557683 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557957 |
| | | | | FCM | RUO | APC | 0.1 mg | 553092 |
| | | | | FCM | RUO | APC-Cy7 | 25 µg | 561102 |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 552094 |
| | | | | FCM, IF | RUO | FITC | 0.1 mg | 553087 |
| | | | | FCM, IF | RUO | FITC | 0.5 mg | 553088 |
| | | | | FCM | RUO | BD Horizon V450 | 25 µg | 560473 |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560472 |
| | | | | FCM | RUO | BD Horizon V500 | 25 µg | 561227 |
| | | | | FCM | RUO | BD Horizon V500 | 0.1 mg | 561226 |
| | | | | FCM | RUO | Pacific Blue™ | 0.1 mg | 558108 |
| | | | | FCM | RUO | PE | 0.1 mg | 553089 |
| | | | | FCM | RUO | PE | 0.2 mg | 553090 |
| | | | | FCM | RUO | PE-Cy5 | 0.1 mg | 553091 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 552772 |
| FCM | RUO | PE-Texas Red | 0.1 mg | 551489 | | | | |
| FCM | RUO | PerCP | 25 µg | 561086 | | | | |
| FCM | RUO | PerCP | 0.1 mg | 553093 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 25 µg | 561101 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 552771 | | | | |
| CD45RA | Ms | 14.8 | Rat IgG _{2b} κ | FCM | RUO | Biotin | 0.1 mg | 557460 |
| | | | | FCM | RUO | PE | 0.2 mg | 553380 |
| CD45RB | Ms | 16A | Rat IgG _{2a} κ | FCM | RUO | Biotin | 0.1 mg | 553097 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553098 |
| | | | | FCM | RUO | FITC | 0.1 mg | 553099 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553100 |
| | | | | FCM | RUO | PE | 0.1 mg | 553101 |
| CD45RC | Ms | DNL-1.9 | Rat (LEW) IgG _{2b} κ | FCM | RUO | PE | 0.1 mg | 557357 |
| CD47 (IAP) | Ms | miap301 | Rat IgG _{2a} κ | FCM, IF, IHC(Fr), WB | RUO | Purified | 0.5 mg | 555297 |
| | | | | FCM | RUO | FITC | 0.5 mg | 555298 |
| CD48 (BCM1) | Ms | HM48-1 | Armenian Hamster IgG1, λ3 | Block, Cost, FCM, IP, WB | RUO | NA/LE | 0.5 mg | 553682 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 561242 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557484 |
| | | | | FCM* | RUO | PE | 0.1 mg | 557485 |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560731 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|--------------------|-----------------|--|------------------------|-----|----------|-------------|----------|
| CD49a (Integrin α_1 chain) | Ms, Rat | Ha31/8 | Armenian Hamster IgG2, λ 1 | Block, FCM | RUO | NA/LE | 0.5 mg | 555000 |
| | | | | FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 555001 |
| CD49b (Integrin α_2 chain) | Ms, Rat | Ha1/29 | Armenian Hamster IgG2, λ | FCM, ICC, IHC(Fr), IP | RUO | Purified | 0.1 mg | 559987 |
| | | | | FCM, ICC, IHC(Fr), IP | RUO | Purified | 0.5 mg | 554998 |
| | | | | FCM | RUO | FITC | 0.5 mg | 554999 |
| | Ms | HM α 2 | Armenian Hamster IgG1, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 557017 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553819 |
| | | | | FCM | RUO | APC | 0.1 mg | 558295 |
| | | | FCM | RUO | PE | 0.1 mg | 558759 | |
| CD49b/Pan-NK Cells | Ms | DX5 | Rat (Lewis) IgM, κ | Cyt, FCM | RUO | Purified | 0.5 mg | 553855 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553856 |
| | | | | FCM | RUO | APC | 50 μ g | 560628 |
| | | | | FCM | RUO | FITC | 25 μ g | 561067 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553857 |
| | | | | FCM | RUO | PE | 25 μ g | 561066 |
| | | | | FCM | RUO | PE | 0.2 mg | 553858 |
| CD49c (Integrin α_3 chain) | Dog, Ms, Rat | 42 | Mouse IgG ₁ | IF, WB | RUO | Purified | 50 μ g | 611044 |
| | | | | IF, WB | RUO | Purified | 150 μ g | 611045 |
| CD49d (Integrin α_4 chain) | Ms | 9C10 (MRF4.B) | Rat (Lewis) IgG _{2a} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553313 |
| | | | | FCM, IHC(Fr) | RUO | Purified | 0.5 mg | 553314 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557419 |
| | | | | FCM | RUO | PE | 0.1 mg | 557420 |
| | Ms | R1-2 | Rat (Fischer) IgG _{2b} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553153 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553154 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557406 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553156 |
| | | | FCM | RUO | PE | 0.2 mg | 553157 | |
| CD49e (Integrin α_5 chain) | Ms | 5H10-27 | Rat (Lewis) IgG _{2a} , κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 553318 |
| | | | | Cost, FCM, IF, IHC(Fr) | RUO | Purified | 0.5 mg | 553319 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557446 |
| | Ms, Rat | HM α 5-1 | Armenian Hamster IgG1, κ | FCM, IP | RUO | PE | 0.1 mg | 557447 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553350 |
| CD51 (Integrin α_v chain) | Dog, Hu, Ms, Rat | 21 | Mouse IgG ₁ , κ | IF, WB | RUO | Purified | 50 μ g | 611012 |
| | | | | IF, WB | RUO | Purified | 150 μ g | 611013 |
| | Ms | H9.2B8 RMV-7 | Armenian Hamster IgG3, λ 3 Rat (SD) IgG ₁ , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553241 |
| | | | | Block, FCM | RUO | NA/LE | 0.5 mg | 552299 |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 550024 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 551380 |
| | | | | FCM | RUO | PE | 0.1 mg | 551187 |
| CD53 | Ms | OX-79 | Rat (AO) IgM, κ | FCM, IHC(Fr), WB | RUO | Purified | 0.5 mg | 559364 |
| CD54 (ICAM-1) | Ms | 3E2 | Armenian Hamster IgG1, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553249 |
| | | | | FCM | RUO | Purified | 0.5 mg | 553250 |
| | | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550287 |
| | | | | FCM, IF | RUO | Biotin | 0.5 mg | 553251 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553252 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553253 |
| CD55 (DAF) | Ms | RIKO-5 | Armenian Hamster IgG3, λ | FCM | RUO | PE | 0.1 mg | 558037 |
| CD56 (N-CAM) | Chick, Hu, Ms, Rat | 12F11 | Rat IgG _{2a} | IHC(Fr), WB | RUO | Purified | 0.1 mg | 556323 |
| | Hu, Ms, Rat | 12F8 | Rat IgM | IHC(Fr), WB | RUO | Purified | 0.1 mg | 556325 |
| | Ms, Rat | N-CAM 13 | Mouse IgG _{2a} | IHC(Fr), WB | RUO | Purified | 0.1 mg | 556324 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|---------|-------------|--|--------------------------------|-----|------------------|------------|----------|
| CD61 (Integrin β_3 chain) | Ms, Rat | 2C9.G2 | Armenian Hamster IgG1, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553343 |
| | | | | FCM | RUO | Purified | 0.5 mg | 553344 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550541 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553345 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553346 |
| | | | | FCM | RUO | PE | 0.2 mg | 553347 |
| CD62E (E-selectin, ELAM-1) | Ms | 10E9.6 | Rat (Lewis) IgG _{2a} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553748 |
| | | | | ELISA, FCM, IP | RUO | Purified | 0.5 mg | 553749 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550290 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553750 |
| | | | | FCM | RUO | PE | 0.2 mg | 553751 |
| CD62L (L-selectin, LECAM-1, Ly-22) | Ms | MEL-14 | Rat (Fischer) IgG _{2a} , κ | Block, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553147 |
| | | | | Cyt, FCM, IHC(Fr), IHC(Zn), IP | RUO | Purified | 0.5 mg | 553148 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553149 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 μ g | 560517 |
| | | | | FCM | RUO | APC | 0.1 mg | 553152 |
| | | | | FCM | RUO | APC-Cy7 | 50 μ g | 560514 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553150 |
| | | | | FCM | RUO | BD Horizon V450 | 50 μ g | 560507 |
| | | | | FCM* | RUO | PE | 0.2 mg | 553151 |
| | | | | FCM | RUO | PE-Cy7 | 50 μ g | 560516 |
| CD62P (P-selectin) | Ms | RB40.34 | Rat (Lewis) IgG ₁ , λ | Block, FCM | RUO | NA/LE | 0.5 mg | 553741 |
| | | | | ELISA, FCM, IP | RUO | Purified | 0.5 mg | 553742 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550289 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553743 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553744 |
| CD64 a and b Alloantigens | Ms | X54-5/7.1 | Mouse (NOD/Lt) IgG ₁ , κ | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 558539 |
| CD64.1 | Ms | X54-5/7.1.1 | Mouse (NOD/Lt) IgG ₁ , κ | FCM | RUO | PE | 0.1 mg | 558455 |
| CD69 (Very Early Activation Antigen) | Ms | H1.2F3 | Armenian Hamster IgG1, λ 3 | FCM | RUO | Biotin | 0.5 mg | 553235 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 μ g | 561238 |
| | | | | FCM | RUO | APC | 50 μ g | 560689 |
| | | | | FCM | RUO | APC-Cy7 | 50 μ g | 561240 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557392 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553236 |
| | | | | FCM | RUO | BD Horizon V450 | 50 μ g | 560690 |
| | | | | FCM | RUO | PE | 0.2 mg | 553237 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 551113 |
| FCM | RUO | PE-Cy7 | 0.1 mg | 552879 | | | | |
| CD70 | Ms | FR70 | Rat (F344) IgG _{2b} , κ | FCM | RUO | Biotin | 0.5 mg | 555285 |
| | | | | FCM | RUO | PE | 0.1 mg | 555286 |
| CD71 (Transferrin Receptor) | Ms | C2 | Rat (Wistar/Furth) IgG ₁ , κ | Block, FCM, IF, IHC(Fr) | RUO | Purified | 0.5 mg | 553264 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557416 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553266 |
| | | | | FCM | RUO | PE | 0.1 mg | 553267 |
| CD72 a, b, and d Alloantigens (Lyb-2.1, Lyb-2.2, Lyb-2.4) | Ms | K10.6 | Mouse (SJL) IgG _{2b} , κ | FCM | RUO | FITC | 0.1 mg | 550966 |
| CD72 b and c Alloantigens (Lyb-2.2 and Lyb-2.3) | Ms | JY/93 | Rat IgG ₁ , κ | FCM, IP, WB | RUO | Purified | 0.1 mg | 550268 |
| | | | | FCM | RUO | PE | 0.1 mg | 550269 |
| CD73 (Ecto-5-nucleotidase) | Ms | TY/23 | Rat (Wistar) IgG _{2a} , κ | FCM, IHC(Fr), IHC(Zn) | RUO | Purified | 0.1 mg | 550738 |
| | | | | FCM | RUO | Alexa Fluor® 488 | 50 μ g | 561545 |
| | | | | FCM | RUO | BD Horizon V450 | 50 μ g | 561544 |
| | | | | FCM | RUO | PE | 0.1 mg | 550741 |
| CD74 (Ii) | Ms | In-1 | Rat (Wistar) IgG _{2b} , κ | IC/FCM, IF, IP, WB | RUO | Purified | 0.5 mg | 555317 |
| | | | | IC/FCM | RUO | FITC | 0.5 mg | 555318 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | | |
|----------------------------|---------|---------------|---------------------------------------|-------------------------------|---------------------------------|------------------------------------|-----------------------------------|----------|----------|------------|--------|
| CD79a (Ig α , mb-1) | Hu, Ms | HM47 | Mouse IgG $_1$, κ | IC/FCM | RUO | Purified | 0.1 mg | 555934 | | | |
| | | | | IC/FCM | RUO | APC | 100 tests | 551134 | | | |
| | | | | IC/FCM | RUO | PE | 100 tests | 555935 | | | |
| CD79b (Ig β) | Ms | HM79b | Armenian Hamster IgG2, λ 1 | FCM | RUO | Purified | 0.5 mg | 555302 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 555303 | | | |
| CD80 (B7-1) | Dog, Ms | 16-10A1 | Armenian Hamster IgG2, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553765 | | | |
| | | | | FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553766 | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553767 | | | |
| | | | | FCM | RUO | APC | 0.1 mg | 560016 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553768 | | | |
| | | | | FCM | RUO | BD Horizon V450 | 50 μ g | 560523 | | | |
| | | | | FCM | RUO | PE | 0.2 mg | 553769 | | | |
| | | | | FCM | RUO | PerCP-Cy5.5 | 50 μ g | 560526 | | | |
| | | 1G10 | Rat IgG $_{2a}$, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553367 | | | |
| | | | | FCM | RUO | Purified | 0.5 mg | 553368 | | | |
| | | CD81 (TAPA-1) | Ms, Rat | Eat2 | Armenian Hamster IgG1, κ | FCM | RUO | Biotin | 0.5 mg | 559518 | |
| FCM | RUO | | | | | PE | 0.1 mg | 559519 | | | |
| CD83 | Ms | Michel-19 | Rat IgG $_1$, κ | FCM | RUO | APC | 0.1 mg | 558206 | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 558205 | | | |
| CD86 (B7-2) | Ms | GL1 | Rat (LOU) IgG $_{2a}$, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553688 | | | |
| | | | | EM, FCM, IF, IP | RUO | Purified | 0.5 mg | 553689 | | | |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550542 | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553690 | | | |
| | | | | FCM | RUO | Alexa Fluor $^{\circledR}$ 700 | 50 μ g | 560581 | | | |
| | | | | FCM | RUO | APC | 0.1 mg | 558703 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553691 | | | |
| | | | | FCM | RUO | BD Horizon V450 | 25 μ g | 560450 | | | |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560449 | | | |
| | | | | FCM | RUO | PE | 0.2 mg | 553692 | | | |
| | | FCM | RUO | PE-Cy7 | 50 μ g | 560582 | | | | | |
| | | PO3 | Rat (SD) IgG $_{2b}$, κ | Block, FCM, IP | RUO | NA/LE | 0.5 mg | 553838 | | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557426 | | | |
| CD90 (Thy-1) | Ms | G7 | Rat (Lewis) IgG $_{2c}$, κ | Cost, FCM | RUO | NA/LE | 0.5 mg | 553015 | | | |
| | | | | FCM, IHC(Fr), IHC(Zn) | RUO | Purified | 0.5 mg | 553016 | | | |
| CD90.1 (Thy-1.1) | Ms, Rat | HIS51 | Mouse (BALB/c) IgG $_{2a}$, κ | FCM, IHC(F), IHC(Fr), IHC(Zn) | RUO | Purified | 0.5 mg | 554892 | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 554893 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 554894 | | | |
| | | | | G Pig, Ms, Rab, Rat | OX-7 | Mouse (BALB/c) IgG $_1$, κ | EM, FCM, IHC(Fr), IHC(Zn), IP, WB | RUO | Purified | 0.5 mg | 554895 |
| | | | | | | | FCM | RUO | Biotin | 0.5 mg | 554896 |
| | | | | | | | FCM | RUO | APC | 50 μ g | 561409 |
| | FCM | RUO | APC-Cy7 | | | | 50 μ g | 561401 | | | |
| | FCM | RUO | FITC | | | | 0.5 mg | 554897 | | | |
| | FCM | RUO | BD Horizon V450 | | | | 50 μ g | 561406 | | | |
| | FCM | RUO | PE | 0.1 mg | 551401 | | | | | | |
| | | RUO | PE | 0.2 mg | 554898 | | | | | | |
| | | RUO | PE-Cy7 | 50 μ g | 561404 | | | | | | |
| | | RUO | PerCP | 0.1 mg | 557266 | | | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | | |
|---|-------------------------|---------------|---------------------------------------|-------------------------------|---------------------------------|---------------------------|-------------|----------|----------|--------|--------|
| CD90.2 (Thy-1.2) | Ms | 30-H12 | Rat (Lou) IgG _{2b} κ | Cost, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553008 | | | |
| | | | | Cyt, FCM | RUO | Purified | 0.5 mg | 553009 | | | |
| | | | | FCM, Sep | RUO | Biotin | 0.5 mg | 553011 | | | |
| | | | | FCM | RUO | FITC | 0.1 mg | 553012 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553013 | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 553014 | | | |
| | | | | 53-2.1 | Rat (Lou) IgG _{2a} κ | Cyt, EM, FCM, IP | RUO | Purified | 0.5 mg | 553000 | |
| | | | | | | IHC(Fr) | RUO | Purified | 1 mL | 550543 | |
| | | FCM | RUO | | | Biotin | 0.1 mg | 553001 | | | |
| | | FCM | RUO | | | Biotin | 0.5 mg | 553002 | | | |
| | | FCM | RUO | | | APC | 0.1 mg | 553007 | | | |
| | | FCM | RUO | | | FITC | 0.1 mg | 553003 | | | |
| | | FCM | RUO | | | FITC | 0.5 mg | 553004 | | | |
| | | FCM | RUO | | | PE | 0.1 mg | 553005 | | | |
| | | FCM | RUO | PE | 0.2 mg | 553006 | | | | | |
| | | CD94 | Ms | 18d3 | Rat (Lewis) IgG _{2a} κ | FCM | RUO | Purified | 0.1 mg | 550772 | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 550773 | | | |
| CD95 (Fas/APO-1) | Chick, Dog, Hu, Ms, Rat | 13 | Mouse IgG ₁ | IHC(F)*, WB | RUO | Purified | 50 µg | 610197 | | | |
| | | | | IF, IHC, WB | RUO | Purified | 150 µg | 610198 | | | |
| | | | | Ms | Jo2 | Armenian Hamster IgG2, λ2 | FA, FCM, IP | RUO | NA/LE | 0.5 mg | 554254 |
| | | | | | | | FCM, IP | RUO | Purified | 500 µg | 554255 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 554256 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 554257 | | | |
| | | | | FCM | RUO | PE | 0.2 mg | 554258 | | | |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 557653 | | | |
| CD98 (4F2) | Ms | H202-141 | Rat IgG _{2a} κ | FCM, IHC(Fr) | RUO | Purified | 0.1 mg | 557479 | | | |
| CD102 (ICAM-2) | Ms | 3C4 (m1C2/4) | Rat (Lewis) IgG _{2a} κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553325 | | | |
| | | | | FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553326 | | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557441 | | | |
| | | | | FCM | RUO | FITC | 0.1 mg | 557444 | | | |
| CD103 (Integrin α _{IEL} chain) | Ms | M290 | Rat (Lou) IgG _{2a} κ | Block, Cost, FCM, IHC(Fr), IP | RUO | NA/LE | 0.5 mg | 553699 | | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557493 | | | |
| | | | | FCM | RUO | FITC | 0.1 mg | 557494 | | | |
| | | | | FCM | RUO | PE | 25 µg | 561043 | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 557495 | | | |
| | | | | | | | | | | | |
| CD104 (Integrin β ₄ chain) | Ms | 346-11A | Rat (Fischer 344) IgG _{2a} κ | FCM, IHC(Fr), IP, WB | RUO | Purified | 0.5 mg | 553745 | | | |
| CD105 (Endoglin) | Ms | MJ7/18 | Rat IgG _{2a} κ | IHC(Fr) | RUO | Purified | 1 mL | 550546 | | | |
| CD106 (VCAM-1) | Ms | 429 (MVCAM.A) | Rat (Lewis) IgG _{2a} κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553329 | | | |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553330 | | | |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550547 | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553331 | | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553332 | | | |
| | | | | | | | | | | | |
| CD107a (LAMP-1) | Ms | 1D4B | Rat (SD) IgG _{2a} κ | EM, IC/FCM, IHC(Fr), IP, WB | RUO | Purified | 0.5 mg | 553792 | | | |
| | | | | IC/FCM | RUO | APC | 50 µg | 560646 | | | |
| | | | | IC/FCM | RUO | FITC | 25 µg | 561069 | | | |
| | | | | IC/FCM | RUO | FITC | 0.5 mg | 553793 | | | |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 µg | 560648 | | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 558661 | | | |
| | | | | IC/FCM | RUO | PE-Cy7 | 50 µg | 560647 | | | |
| | | | | | | | | | | | |
| CD107b (LAMP-2) | Ms | ABL-93 | Rat (SD) IgG _{2a} κ | IC/FCM | RUO | FITC | 0.1 mg | 558758 | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | |
|---|-------|----------|----------------------------------|-------------------------|------------------------------|------------------|---------|----------|--------|--------|
| CD117 (c-Kit) | Ms | 2B8 | Rat (Wistar) IgG _{2b} κ | FCM, IP | RUO | Purified | 0.5 mg | 553352 | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553353 | | |
| | | | | FCM | RUO | APC | 25 µg | 561074 | | |
| | | | | FCM | RUO | APC | 0.1 mg | 553356 | | |
| | | | | FCM | RUO | APC-H7 | 25 µg | 560250 | | |
| | | | | FCM | RUO | APC-H7 | 0.1 mg | 560185 | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553354 | | |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560558 | | |
| | | | | FCM | RUO | PE | 25 µg | 561075 | | |
| | | | | FCM | RUO | PE | 0.2 mg | 553355 | | |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 558163 | | |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.05 mg | 560557 | | |
| | | | | ACK45 | Rat IgG _{2b} κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553867 |
| | | | | | | FCM | RUO | Purified | 0.5 mg | 553868 |
| | | | | | | FCM | RUO | PE | 0.2 mg | 553869 |
| CD119 (IFN-γ Receptor α chain) | Ms | 2E2 | Armenian Hamster IgG1, κ | FCM, IP | RUO | Purified | 0.5 mg | 559911 | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 550482 | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 558771 | | |
| CD120a (TNF Receptor, Type I/p55) | Ms | 55R-170 | Armenian Hamster IgG1, κ | Block | RUO | NA/LE | 0.25 mg | 557535 | | |
| | | 55R-286 | Armenian Hamster IgG1, κ | ELISA Cap., FCM, IP, WB | RUO | Purified | 0.5 mg | 559915 | | |
| CD120b (TNF Receptor, Type II/p75) | Ms | TR75-54 | Armenian Hamster IgG1, λ3 | Block | RUO | NA/LE | 0.25 mg | 557534 | | |
| | | | | FCM, IP/WB | RUO | Purified | 0.5 mg | 559916 | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 550476 | | |
| | | | | FCM | RUO | PE | 0.2 mg | 550086 | | |
| CD121a (IL-1 Receptor, Type I/p80) | Ms | 12A6 | Rat IgG _{2a} κ | FCM, IP, WB | RUO | Purified | 0.1 mg | 557490 | | |
| | | 35F5 | Rat IgG ₁ κ | Block, FCM, IP, WB | RUO | NA/LE | 0.5 mg | 553693 | | |
| | | FCM | RUO | PE | 0.1 mg | 557489 | | | | |
| CD121b (IL-1 Receptor, Type II/p60) | Ms | 4E2 | Rat IgG _{2a} | FCM | RUO | PE | 0.2 mg | 554450 | | |
| CD122 (IL-2 and IL-15 Receptor β chain) | Ms | 5H4 | Rat IgG _{2a} | FCM, IP | RUO | Purified | 0.5 mg | 554451 | | |
| | | | | FCM | RUO | FITC | 0.5 mg | 554452 | | |
| | | | | TM-β1 | Rat (SD) IgG _{2b} κ | Block, FCM, IP | RUO | NA/LE | 0.5 mg | 553359 |
| | | | | | | FCM | RUO | Biotin | 0.5 mg | 559884 |
| | | | | | | FCM | RUO | FITC | 0.5 mg | 553361 |
| | | | | | | FCM | RUO | PE | 0.2 mg | 553362 |
| CD123 (IL-3 Receptor α chain) | Ms | 5B11 | Rat IgG _{2a} | FCM | RUO | Biotin | 0.5 mg | 555070 | | |
| CD124 (IL-4 Receptor α chain) | Ms | mIL4R-M1 | Rat IgG _{2a} κ | Neu | RUO | NA/LE | 0.5 mg | 552288 | | |
| | | | | FCM, IP | RUO | Purified | 0.1 mg | 551853 | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 552508 | | |
| | | | | FCM | RUO | PE | 0.1 mg | 552509 | | |
| | | | | ELISA Cap., IP | RUO | Purified | 0.5 mg | 552952 | | |
| CD125 (IL-5 Receptor α chain) | Ms | T21 | Rat IgG ₁ λ | Block, FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 558533 | | |
| | | | | Block, FCM | RUO | PE | 0.1 mg | 558488 | | |
| CD126 (IL-6 Receptor α chain) | Ms | D7715A7 | Rat IgG _{2b} κ | Block | RUO | NA/LE | 0.5 mg | 554459 | | |
| | | | | FCM | RUO | PE | 0.2 mg | 554462 | | |
| CD127 (IL-7 Receptor α chain) | Ms | B12-1 | Rat (Wistar) IgG _{2a} λ | FCM | RUO | Biotin | 0.5 mg | 555288 | | |
| | | SB/14 | Rat IgG _{2a} κ | Block, FCM | RUO | NA/LE | 0.5 mg | 550426 | | |
| | | SB/199 | Rat IgG _{2b} κ | FCM | RUO | BD Horizon V450 | 50 µg | 561205 | | |
| | | | | FCM | RUO | PE | 0.2 mg | 552543 | | |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560733 | | |
| CD131 (β _{L-38} β ₂) | Ms | JOR050 | Rat IgG ₁ κ | FCM | RUO | PE | 0.2 mg | 559920 | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|---------|----------------------|--|--|-----|----------|------------|----------|
| CD132 (Common γ chain, γ_c) | Ms | 4G3 | Rat (Lewis) IgG _{2b} κ | Block | RUO | NA/LE | 0.5 mg | 554454 |
| | | | | FCM | RUO | Purified | 0.5 mg | 554455 |
| | | | | FCM | RUO | PE | 0.2 mg | 554457 |
| | | TUGm2 | Rat (Wistar) IgG _{2b} κ | Block | RUO | NA/LE | 0.5 mg | 554469 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 554470 |
| | | | | FCM | RUO | PE | 0.2 mg | 554471 |
| CD134 (OX-40 Antigen) | Ms | OX-86 | Rat (AO) IgG ₁ κ | FCM, IHC(Fr), WB | RUO | Purified | 0.5 mg | 559861 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 559862 |
| CD135 (FLK-2/Fit3, Ly-72) | Ms | A2F10.1 | Rat (Wistar) IgG _{2a} κ | FCM | RUO | APC | 50 μ g | 560718 |
| | | | | FCM | RUO | PE | 25 μ g | 561068 |
| | | | | FCM | RUO | PE | 0.1 mg | 553842 |
| CD137 (4-1BB, Ly-63) | Ms | 1AH2 | Rat (SD) IgG ₁ κ | Cost, FCM | RUO | NA/LE | 0.5 mg | 553831 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 558974 |
| | | | | FCM | RUO | FITC | 0.1 mg | 558975 |
| | | | | FCM, IC/FCM | RUO | PE | 0.1 mg | 558976 |
| CD138 (Syndecan-1) | Ms | 281-2 | Rat (Fischer) IgG _{2a} κ | ELISA, FCM, IHC(F), IHC(Fr), WB | RUO | Purified | 0.5 mg | 553712 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553713 |
| | | | | FCM | RUO | APC | 0.1 mg | 558626 |
| | | | | FCM | RUO | PE | 25 μ g | 561070 |
| | | | | FCM | RUO | PE | 0.2 mg | 553714 |
| CD140a (PDGF Receptor α chain) | Ms | APA5 | Rat (Wistar) IgG _{2a} κ | ELISA Cap., FA, FCM, IHC(F), IHC(Fr), WB | RUO | Purified | 0.1 mg | 558774 |
| CD144 (VE-Cadherin) | Ms | 11D4.1 | Rat (Lewis) IgG _{2a} κ | FCM, IP | RUO | Purified | 0.5 mg | 555289 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550548 |
| CD152 (CTLA-4) | Ms | 9H10 | Syrian Hamster IgG2, κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 555278 |
| | | | | FCM, IC/FCM | RUO | Purified | 0.5 mg | 555279 |
| | | UC10-4F10-11 | Armenian Hamster IgG1, κ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 553718 |
| | | | | FCM, IP | RUO | Purified | 0.5 mg | 553719 |
| | | | | FCM, IC/FCM | RUO | PE | 0.1 mg | 553720 |
| CD153 (CD30 Ligand) | Ms | RM153 | Rat (SD) IgG _{2b} κ | FCM | RUO | PE | 0.1 mg | 559232 |
| CD154 (CD40 Ligand, gp39) | Ms | MR1 | Armenian Hamster IgG3, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553655 |
| | | | | FCM, IHC(Fr) | RUO | Purified | 0.5 mg | 553656 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553657 |
| | | | | FCM | RUO | PE | 0.2 mg | 553658 |
| CD157 (BP-3 Alloantigen) | Ms | BP-3 | Mouse (<i>Mus spretus</i>) IgG _{2b} κ | FCM, IF, IP | RUO | Purified | 0.1 mg | 552545 |
| | | | | FCM | RUO | PE | 0.1 mg | 552814 |
| CD162 (PSGL-1) | Ms | 2PH1 | Rat (Lewis) IgG ₁ κ | FCM | RUO | PE | 0.2 mg | 555306 |
| | | 4RA10 | Rat (Lewis) IgG ₁ κ | Block, FCM, IP, WB | RUO | NA/LE | 0.5 mg | 557787 |
| CD172a (SIRPα, SHPS-1, BIT) | Ms | P84 | Rat (SD) IgG ₁ κ | EM, FCM, IF, IP | RUO | Purified | 0.1 mg | 552371 |
| | | | | FCM | RUO | APC | 0.1 mg | 560106 |
| | | | | FCM | RUO | FITC | 0.1 mg | 560316 |
| | | | | FCM | RUO | PE | 0.1 mg | 560107 |
| CD178 (Fas Ligand, CD95 Ligand) | Ms | MFL3 | Armenian Hamster IgG1, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 555290 |
| | | | | FCM | RUO | Purified | 0.5 mg | 555291 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 555292 |
| | | | | FCM | RUO | PE | 0.2 mg | 555293 |
| | Ms, Rat | MFL4 | Armenian Hamster IgG3, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 555021 |
| | | | | FCM | RUO | Purified | 0.5 mg | 555022 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 556998 |
| CD178.1 (mFasL-1, CD95 Ligand) | Ms | Kay-10 | Mouse (C57BL/6 <i>gld/gld</i>) IgG _{2b} κ | FCM, IHC(F) | RUO | Biotin | 0.5 mg | 553853 |
| | | | | FCM | RUO | PE | 0.2 mg | 553854 |
| CD179a (V_{preB}) | Ms | R3/V _{preB} | Rat (CD) IgG _{2a} κ | ELISA, FCM, WB | RUO | Purified | 0.1 mg | 558271 |
| CD179b (λ_s) | Ms | LM34 | Rat (LEW) IgG _{2a} κ | FCM | RUO | Biotin | 0.1 mg | 551865 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--------------------------------|-------------|------------|-------------------------------------|-----------------|-----|------------------|--------|----------|
| CD180 (RP105) | Ms | RP/14 | Rat (Wistar) IgG _{2b} κ | FCM, IP | RUO | Purified | 0.5 mg | 552128 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 552129 |
| CD184 (CXCR4, Fusin) | Ms | 2B11/CXCR4 | Rat IgG _{2b} κ | FCM | RUO | Purified | 0.1 mg | 551852 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 551968 |
| | | | | FCM | RUO | APC | 0.1 mg | 558644 |
| | | | | FCM | RUO | FITC | 0.1 mg | 551967 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560875 |
| | | | | FCM | RUO | PE | 0.1 mg | 551966 |
| CD193 (CCR3) | Ms | 83103 | Rat IgG _{2a} | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557974 |
| CD195 (CCR5) | Ms | C34-3448 | Rat IgG _{2c} | FCM | RUO | Purified | 0.5 mg | 559921 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 559922 |
| | | | | FCM | RUO | PE | 0.2 mg | 559923 |
| CD197 (CCR7) | Ms | 4B12 | Rat IgG _{2a} | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 560766 |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560805 |
| | | | | FCM | RUO | PE | 0.1 mg | 560682 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 560812 |
| CD200 (OX-2 Antigen) | Ms | OX-90 | Rat IgG _{2a} κ | ELISA, FCM, IHC | RUO | Purified | 0.5 mg | 552512 |
| CD209a (CIRE, DC-SIGN) | Ms | 5H10/CIRE | Rat IgG _{2a} κ | FCM | RUO | Biotin | 0.1 mg | 558073 |
| CD210 (IL-10 Receptor) | Ms | 1B1.3a | Rat IgG ₁ κ | Block | RUO | NA/LE | 0.5 mg | 550012 |
| | | | | FCM | RUO | Purified | 0.5 mg | 559912 |
| | | | | FCM | RUO | PE | 0.2 mg | 559914 |
| CD212 (IL-12 Receptor β chain) | Ms | 114 | Mouse IgG _{2a} κ | FCM | RUO | Biotin | 0.1 mg | 551973 |
| | | | | FCM | RUO | PE | 0.1 mg | 551974 |
| CD220 (Insulin Receptor β) | Ms, Rat | 46 | Mouse IgG ₁ | IF, IP, WB | RUO | Purified | 50 µg | 610109 |
| | | | | IF, IP, WB | RUO | Purified | 150 µg | 610110 |
| | Hu, Ms, Rat | Polyclonal | Rabbit Ig | IF, WB | RUO | Purified | 50 µg | 611276 |
| | | | | IF, WB | RUO | Purified | 150 µg | 611277 |
| CD223 (LAG3) | Ms | C9B7W | Rat (LEW) IgG ₁ κ | Block, FCM | RUO | NA/LE | 0.5 mg | 552379 |
| | | | | FCM | RUO | PE | 0.2 mg | 552380 |
| CD229.1 (Ly-9.1) | Ms | 30C7 | Rat (Lou/Ws1/M) IgG _{2a} κ | FCM | RUO | PE | 0.1 mg | 560201 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557363 |
| | | | | FCM | RUO | APC | 0.1 mg | 560188 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553117 |
| CD244.1 (2B4 BALB Alloantigen) | Ms | C9.1 | Rat (LEW) IgG _{2b} κ | FCM, IP | RUO | Purified | 0.1 mg | 552421 |
| CD244.2 (2B4 B6 Alloantigen) | Ms | 2B4 | Mouse (129/J) IgG _{2b} κ | FCM, IP | RUO | Purified | 0.1 mg | 557451 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557452 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553305 |
| | | | | FCM | RUO | PE | 0.2 mg | 553306 |
| CD247 (CD3ζ chain) | Ms | 1c3A1 | Mouse IgG _{2b} | IP, WB | RUO | Purified | 0.1 mg | 554241 |
| | Hu, Ms | 8D3 | Mouse IgG ₁ | IP, WB | RUO | Purified | 50 µg | 551033 |
| | | | | IP, WB | RUO | Purified | 150 µg | 551034 |
| CD252 (OX-40 Ligand) | Ms | RM134L | Rat (SD) IgG _{2b} κ | FCM | RUO | Biotin | 0.5 mg | 559798 |
| CD253 (TRAIL) | Ms | N2B2 | Rat (F344) IgG _{2a} κ | FCM, WB | RUO | Purified | 0.1 mg | 550320 |
| CD262 (TRAIL-R2, DR5) | Ms | MD5-1 | Armenian Hamster IgG2, κ | FCM, IP, WB | RUO | Purified | 0.1 mg | 557868 |
| CD267 (TACI) | Ms | 8F10 | Rat IgG _{2a} κ | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 558453 |
| | | | | FCM | RUO | PE | 0.1 mg | 558410 |
| CD273 (B7-DC, PD-L2) | Ms | TY25 | Rat (SD) IgG _{2a} κ | FCM | RUO | APC | 0.1 mg | 560086 |
| | | | | FCM | RUO | PE | 0.1 mg | 557796 |
| CD274 (B7-H1, PD-L1) | Ms | MIH5 | Rat (SD) IgG _{2a} λ | FCM | RUO | PE | 0.1 mg | 558091 |
| CD278 (ICOS) | Ms | 7E.17G9 | Rat IgG _{2b} κ | Block, FCM | RUO | NA/LE | 0.5 mg | 552437 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 552145 |
| | | | | FCM | RUO | PE | 0.2 mg | 552146 |
| CD279 (PD-1) | Ms | J43 | Armenian Hamster IgG2, κ | Block, FCM, IP | RUO | Purified | 0.1 mg | 551891 |
| | | | | FCM | RUO | PE | 0.1 mg | 551892 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | | | |
|--|--------------------------------|-----------|------------------------------------|---------------------------------------|--------|------------------|--|------------------------|-----|----------|-----------------------------------|--------|
| CD284/MD-2 Complex (TLR4/MD-2 Complex) | Ms | MT5510 | Rat IgG _{2b} , κ | FCM, IP | RUO | Purified | 0.1 mg | 558293 | | | | |
| | | | | FCM, IP | RUO | PE | 0.1 mg | 558294 | | | | |
| CD314 (NKG2D) | Ms | CX5 | Rat IgG ₁ , κ | FCM | RUO | PE | 0.1 mg | 558403 | | | | |
| CD326 (Ep-CAM) | Ms | G8.8 | Rat (SD) IgG _{2b} , κ | EM, FCM, IHC(Fr), IHC(Zn), IP | RUO | Purified | 0.1 mg | 552370 | | | | |
| CD335 (NKp46) | Ms | 29A1.4 | Rat IgG _{2b} , κ | FCM | RUO | Purified | 0.5 mg | 560754 | | | | |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 560755 | | | | |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.05 mg | 561169 | | | | |
| | | | | FCM | RUO | FITC | 0.1 mg | 560756 | | | | |
| | | | | FCM | RUO | BD Horizon V450 | 25 µg | 560764 | | | | |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560763 | | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 560757 | | | | |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 560800 | | | | |
| 4-1BB Ligand | Ms | TKS-1 | Rat (SD) IgG _{2b} , κ | FCM | RUO | Purified | 0.5 mg | 550532 | | | | |
| CCR6 | Ms | 140706 | Rat IgG _{2a} | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557976 | | | | |
| Crry/p65 | Ms | 1F2 | Rat (SD) IgG _{2b} , κ | ELISA Cap., FA, FCM, IHC(Fr), IHC(Zn) | RUO | Purified | 0.1 mg | 550058 | | | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 550059 | | | | |
| CTLA-4 - IgG Fusion Protein (Non-Cytolytic) | | | | Block | RUO | NA/LE | 0.5 mg | 552133 | | | | |
| CXCR5 | Ms | 2G8 | Rat IgG _{2a} | FCM, IF | RUO | Purified | 0.1 mg | 551961 | | | | |
| | | | | FCM | RUO | Biotin | 0.1 mg | 551960 | | | | |
| | | | | FCM | RUO | APC | 50 µg | 560615 | | | | |
| | | | | FCM | RUO | FITC | 0.1 mg | 560577 | | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 551959 | | | | |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560617 | | | | |
| Dendritic Cells | Ms | 33D1 | Rat (SD) IgG _{2b} , κ | Cyt, FCM, IF, IHC(Fr) | RUO | Purified | 0.5 mg | 551776 | | | | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 552776 | | | | |
| | | | | FCM | RUO | PE | 0.2 mg | 557578 | | | | |
| | | | | DO-11.10 Clonotypic TCR | Ms | KJ1-26 | Mouse (BALB.B x AKR) IgG _{2b} , κ | ELISA, FCM, IHC, IP | RUO | Purified | 0.25 mg | 551771 |
| | | | | | | | | FCM | RUO | PE | 0.1 mg | 551772 |
| | | | | | | | | Early B Lineage | Ms | 493 | Rat (Lewis) IgG _{2b} , κ | FCM |
| AA4.1 | Rat (SD) IgG _{2b} , κ | FCM | RUO | FITC | 0.5 mg | 559156 | | | | | | |
| FCM | RUO | PE | 0.1 mg | 558039 | | | | | | | | |
| EGF Receptor | Hu, Ms | 13 | Mouse IgG ₁ | IF, IP, WB | RUO | Purified | 50 µg | 610016 | | | | |
| | | | | IF, IP, WB | RUO | Purified | 150 µg | 610017 | | | | |
| F4/80-like Receptor (FIRE) | Ms | 6F12 | Rat IgG _{2b} , κ | FCM, IHC(Fr) | RUO | Purified | 0.5 mg | 552958 | | | | |
| Flk-1 (VEGF-R2, Ly-73) | Ms | Avas 12α1 | Rat (Wistar) IgG _{2b} , κ | FCM, WB | RUO | Purified | 0.5 mg | 555307 | | | | |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550549 | | | | |
| | | | | FCM | RUO | APC | 0.1 mg | 560070 | | | | |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 561252 | | | | |
| | | | | FCM, IC/FCM | RUO | FITC | 0.1 mg | 560680 | | | | |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 561256 | | | | |
| | | | | FCM | RUO | PE | 25 µg | 561052 | | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 555308 | | | | |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 561259 | | | | |
| | | | | FCM, IC/FCM | RUO | PerCP-Cy5.5 | 50 µg | 560681 | | | | |
| Follicular Dendritic Cell | Ms | FDC-M1 | Rat IgG _{2c} | IHC(Fr) | RUO | Purified | 1 mL | 551320 | | | | |
| FR4 | Ms | 12A5 | Rat IgG ₁ , κ | FCM | RUO | APC | 0.1 mg | 560318 | | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 560320 | | | | |
| | | TH6 | Rat IgG _{2b} , κ | FCM | RUO | APC | 0.1 mg | 560319 | | | | |
| | | | | FCM | RUO | PE | 0.1 mg | 560324 | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|--|-------------|--|---------------------|-----|----------|---------|----------|
| GFAP | Bov, Chick, Dog, G Pig, Hu, Ms, Pig, Rab, Rat, Sheep | 2E1 | Mouse IgG _{2b} | IHC(F), WB | RUO | Purified | 0.5 mg | 556329 |
| | | 4A11 | Mouse IgG _{2b} | IF, IHC(F), WB | RUO | Purified | 0.5 mg | 556327 |
| GITR | Ms | DTA-1 | Rat (Wistar) IgG _{2b} λ | Block, Cost, FCM | RUO | NA/LE | 0.5 mg | 558213 |
| | | | | FCM | RUO | FITC | 0.1 mg | 558139 |
| | | | | FCM | RUO | PE | 0.1 mg | 558119 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 558140 |
| gp49 Receptor | Ms | H1.1 | Armenian Hamster IgG3, κ | ELISA, FCM, IP | RUO | Purified | 0.1 mg | 552420 |
| H-2D^b | Ms | 28-14-8 | Mouse (C3H/HeJ) IgG _{2a} , κ | Block, Cyt, FCM | RUO | NA/LE | 0.5 mg | 559579 |
| | | | | Cyt, FCM, IP, RIA | RUO | Purified | 0.5 mg | 553600 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553601 |
| | | KH95 | Mouse (BALB/c) IgG _{2b} , κ | FCM | RUO | Biotin | 0.5 mg | 553572 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553573 |
| | | | | FCM | RUO | PE | 0.1 mg | 553574 |
| H-2D^b:Ig Recombinant Fusion Protein, Mouse | | | | FCM | RUO | Purified | 0.25 mg | 551323 |
| H-2D^d | Ms | 34-2-12 | Mouse (C3H/HeJ) IgG _{2a} , κ | Cyt, FCM, IP | RUO | Purified | 0.5 mg | 553577 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553578 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553579 |
| | | 34-5-85 | Mouse (C3H/HeJ) IgG _{2a} , κ | FCM | RUO | PE | 0.1 mg | 553580 |
| | | | | Cyt, FCM, IP | RUO | Purified | 0.1 mg | 558915 |
| | | | | FCM | RUO | PE | 0.1 mg | 558917 |
| H-2D^f | Ms | 15-5-5 | Mouse (C3H.SW) IgG _{2a} , κ | FCM | RUO | FITC | 0.5 mg | 553585 |
| H-2D^g/H-2L^a | Ms | KH117 | Mouse (BALB/c) IgG _{2a} , κ | FCM, IHC(Fr) | RUO | Biotin | 0.1 mg | 558969 |
| H-2K^b | Ms | AF6-88.5 | Mouse (BALB/c) IgG _{2a} , κ | FCM, IP | RUO | Purified | 0.5 mg | 553567 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553568 |
| | | | | IHC(Fr) | RUO | Biotin | 1 mL | 550550 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553569 |
| | | | | FCM | RUO | PE | 25 µg | 561072 |
| | | | | FCM | RUO | PE | 0.1 mg | 553570 |
| H-2K^b/H-2D^b | Ms | 28-8-6 | Mouse (C3H) IgG _{2a} , κ | Cyt, FCM | RUO | Purified | 0.5 mg | 553575 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553576 |
| H-2K^b:Ig Recombinant Fusion Protein, Mouse | | | | FCM | RUO | Purified | 0.25 mg | 550750 |
| | | | | FCM | RUO | PE | 0.1 mg | 552944 |
| H-2K^d | Ms | SF1-1.1 | Mouse (SJL) IgG _{2a} , κ | ELISA, FCM, IP, WB | RUO | Purified | 0.5 mg | 553563 |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553564 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553565 |
| | | | | FCM | RUO | PE | 0.1 mg | 553566 |
| H-2K^e | Ms | 36-7-5 | Mouse (A.TL) IgG _{2a} , κ | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553591 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553592 |
| | | | | FCM | RUO | PE | 0.1 mg | 553593 |
| | | AF3-12.1 | Mouse (BALB/c) IgG ₁ , κ | FCM | RUO | FITC | 0.5 mg | 553554 |
| H-2K^g | Ms | KH114 | Mouse (BALB/c) IgG _{2a} , κ | FCM | RUO | FITC | 0.5 mg | 553597 |
| H-2K^s | Ms | KH49 | Mouse (B6.K1) IgM, κ (IgM ^b) | FCM | RUO | FITC | 0.1 mg | 558841 |
| H-2L^d:Ig Recombinant Fusion Protein, Mouse | | | | FCM | RUO | Purified | 0.25 mg | 550751 |
| H2-M (H2-DM) | Ms | 2E5A | Rat IgG ₁ , κ | IC/FCM, IP | RUO | Purified | 0.1 mg | 552405 |
| H2-M3 | Ms | 130 | Armenian Hamster IgG1, κ | FCM, IP | RUO | Purified | 0.1 mg | 551769 |
| I-A/I-E | Ms | 2G9 | Rat (DA/HA) IgG _{2a} , κ | FCM, IC/FCM, IP | RUO | Purified | 0.5 mg | 553621 |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553622 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553623 |
| | | M5/114.15.2 | Rat (BN x Lewis) IgG _{2b} , κ | FCM | RUO | PE | 0.1 mg | 558593 |
| | | | | FCM, IC/FCM, IF, IP | RUO | Purified | 0.5 mg | 556999 |
| | | | | FCM | RUO | PE | 0.1 mg | 557000 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | |
|---|---------|--|---|--------------------------------------|--|------------------|-----------|----------|-----------|
| I-A^b | Ms | 25-9-3 | Mouse (C3H) IgM, κ (IgM ^b) | Cyt, FCM | RUO | Purified | 0.5 mg | 553602 | |
| | | | AF6-120.1 | Mouse (BALB/c) IgG _{2a} , κ | FCM | RUO | Purified | 0.5 mg | 553549 |
| | | | | | FCM | RUO | Biotin | 0.5 mg | 553550 |
| | | | | | IHC(Fr) | RUO | Biotin | 1 mL | 550553 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553551 | |
| | | | | FCM | RUO | PE | 0.1 mg | 553552 | |
| | | KH74 | Mouse (BALB/c) IgG _{2a} , κ | Cyt, FCM | RUO | Purified | 0.5 mg | 553606 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553607 | |
| I-A^b (A_{βb}) | Ms | 25-9-17 | Mouse (C3H) IgG _{2a} , κ | Cyt, FCM, IP | RUO | Purified | 0.5 mg | 553603 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553604 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553605 | |
| I-A^d | Ms | 39-10-8 | Mouse (C3H.SW) IgG ₃ , κ | FCM | RUO | Biotin | 0.5 mg | 553609 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553610 | |
| | | AMS-32.1 | Mouse (SJL) IgG _{2b} , κ | FCM | RUO | Purified | 0.5 mg | 553545 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553546 | |
| | | | | IHC(Fr) | RUO | Biotin | 1 mL | 550554 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553547 | |
| | | | | FCM | RUO | PE | 0.1 mg | 553548 | |
| I-A^d (A_{βd}) | Ms | 34-5-3 | Mouse (C3H/HeJ) IgG _{2a} , κ | Cyt, FCM | RUO | Purified | 0.5 mg | 553611 | |
| I-A^k (A_{αk}) | Ms | 11-5-2 | Mouse (BALB/c) IgG _{2b} , κ | FCM, IHC(Fr) | RUO | Biotin | 0.1 mg | 558794 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553536 | |
| | | | | FCM | RUO | PE | 0.1 mg | 553537 | |
| I-A^k (A_{βk}) | Ms | 10-3-6 | Mouse (CWB) IgG _{2a} , κ | FCM | RUO | Biotin | 0.5 mg | 553539 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553540 | |
| I-A^p | Ms | 7-16.17 | Mouse (BALB/c) IgG _{2a} , κ | FCM | RUO | FITC | 0.1 mg | 558921 | |
| I-A^q | Ms | KH116 | Mouse (BALB/c) IgG _{2b} , κ | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553614 | |
| I-E^c | Ms, Rat | 14-4-4S | Mouse (C3H.SW) IgG _{2a} , κ | Cyt, FCM, IP | RUO | Purified | 0.1 mg | 558734 | |
| | | | | FCM, ICC, IHC(Fr) | RUO | Biotin | 0.1 mg | 558735 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553543 | |
| | | 17-3-3 | Mouse (C3H.SW) IgG _{2a} , κ | FCM | RUO | PE | 0.1 mg | 553544 | |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.1 mg | 558845 | |
| | | | | FCM | RUO | FITC | 0.1 mg | 558846 | |
| IFN-α/β Receptor 1 | Ms | MAR1-5A3 | Mouse IgG1, κ | Block, FCM | RUO | NA/LE | 0.5 mg | 561183 | |
| IFN-γ Receptor β Chain | Ms | MOB-47 | Armenian Hamster IgG1, κ | FCM, IP, WB | RUO | Purified | 0.5 mg | 559917 | |
| Ig (multiple adsorption) | Ms | Polyclonal | Goat Ig | ELISA | RUO | Purified | 0.5 mg | 553998 | |
| | | | | ELISA, FCM | RUO | Biotin | 0.5 mg | 553999 | |
| Ig, κ Light Chain | Ms | 187.1 | Rat (SD) IgG ₁ , κ | FCM | RUO | Purified | 0.5 mg | 559749 | |
| | | | | FCM | RUO | Biotin | 0.5 mg | 559750 | |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 561351 | |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 561353 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 550003 | |
| | | | | FCM | RUO | PE | 0.1 mg | 559940 | |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560667 | |
| | | | | FCM | RUO | PerCP-Cy5.5 | 50 µg | 560668 | |
| | | | | X36 | Rat IgG ₁ , κ | FCM | RUO (GMP) | PE | 100 tests |
| | | IgD^a (Igh-5a, Igh-5.4) | Ms | AMS 9.1 | Mouse (SJL) IgG _{2b} , κ (mouse IgG _{2b} ^a) | FCM, IHC(Fr), IP | RUO | Biotin | 0.5 mg |
| FCM | RUO | | | | | FITC | 0.5 mg | 553507 | |
| IgD^b (Igh-5b) | Ms | 217-170 | Mouse (BALB/c) IgG ₁ , κ (mouse IgG ₁ ^b) | FCM | RUO | Biotin | 0.5 mg | 553509 | |
| | | | | FCM | RUO | FITC | 0.5 mg | 553510 | |
| | | | | FCM | RUO | PE | 0.2 mg | 553511 | |
| IgG₁^a (Igh-4a) | Ms | 10.9 | Mouse (SJL) IgG _{2a} , κ (mouse IgG _{2a} ^b) | ELISA, FCM | RUO | Biotin | 0.5 mg | 553500 | |
| IgG₁^b (Igh-4b) | Ms | B68-2 | Mouse (C3H) IgM, κ (mouse IgM ^a) | ELISA, FCM | RUO | Biotin | 0.5 mg | 553533 | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|---------|-------------|---|-----------------------|-----|------------------|--------|----------|
| IgG_{2a}^a (Igh-1a) | Ms | 8.3 | Mouse (SJL) IgG _{2a} ^a κ (mouse IgG _{2a} ^b) | ELISA, FCM | RUO | Biotin | 0.5 mg | 553502 |
| IgG_{2a}^b (Igh-1b) | Ms | 5.7 | Mouse (BALB/c) IgG _{2a} ^b κ | ELISA, FCM | RUO | Biotin | 0.5 mg | 553504 |
| IgM | Ms | R6-60.2 | Rat (Lou) IgG _{2a} ^a κ | FCM | RUO | Purified | 0.5 mg | 553405 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553406 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553408 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560575 |
| | | | | FCM | RUO | PE | 0.2 mg | 553409 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 552867 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 550881 |
| IgM^a (Igh-6a) | Ms | DS-1 | Mouse (C57BL/6) IgG ₁ ^a κ (mouse IgG ₁ ^b) | ELISA, FCM | RUO | Purified | 0.5 mg | 553514 |
| | | | | ELISA, FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553515 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553516 |
| | | | | FCM | RUO | PE | 0.2 mg | 553517 |
| IgM^b (Igh-6b) | Ms | AF6-78 | Mouse (BALB/c) IgG ₁ ^b κ (mouse IgG ₁ ^a) | ELISA, FCM | RUO | Biotin | 0.5 mg | 553519 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553520 |
| | | | | FCM | RUO | PE | 0.2 mg | 553521 |
| IL-12 Receptor β₂ | Ms | HAM10B9 | Armenian Hamster IgG1, κ | FCM | RUO | Purified | 0.1 mg | 552819 |
| IL-18 Receptor (β chain) | Ms | TC30-28E3 | Rat IgG _{2a} ^a λ | Neu | RUO | NA/LE | 0.5 mg | 552422 |
| IL-21 Receptor | Ms | 4A9 | Rat IgG _{2a} ^a κ | FCM | RUO | PE | 0.1 mg | 558607 |
| Integrin β, chain | Hu, Ms | FIB27 | Rat (Fischer) IgG _{2a} ^a κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553812 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557497 |
| | | | | FCM | RUO | PE | 0.1 mg | 557498 |
| KLRG1 (MAFA) | Ms, Rat | 2F1 | Syrian Hamster IgG2, κ | Cost, FCM | RUO | Biotin | 0.1 mg | 550863 |
| | | | | Block, FCM | RUO | NA/LE | 0.5 mg | 553809 |
| LPAM-1 (Integrin α₄β₇ complex) | Ms | DATK32 | Rat (Fischer) IgG _{2a} ^a κ | FCM | RUO | PE | 0.2 mg | 553811 |
| | | | | FCM | RUO | PE | 0.2 mg | 553811 |
| Ly-6A/E (Sca-1) | Ms | D7 | Rat (Lewis) IgG _{2a} ^a κ | FCM, IHC(Fr), IP, WB | RUO | Purified | 0.1 mg | 557403 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557404 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560654 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557405 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560653 |
| | | | | FCM | RUO | BD Horizon V500 | 25 µg | 561229 |
| | | | | FCM | RUO | BD Horizon V500 | 0.1 mg | 561228 |
| | | | | FCM | RUO | PE | 0.2 mg | 553108 |
| | | | | FCM | RUO | PE-Cy7 | 25 µg | 561021 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 558162 |
| | | E13-161.7 | Rat (Wistar) IgG _{2a} ^a κ | Cyt, FCM, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553333 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553334 |
| | | | | FCM | RUO | FITC | 25 µg | 561077 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553335 |
| Ly-6C | Ms | AL-21 | Rat IgM, κ | FCM, IHC(Fr) | RUO | Biotin | 0.1 mg | 557359 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 561237 |
| | | | | FCM | RUO | APC | 50 µg | 560595 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560596 |
| | | | | FCM | RUO | FITC | 25 µg | 561085 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553104 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560594 |
| | | | | FCM | RUO | PE | 0.1 mg | 560592 |
| FCM | RUO | PE-Cy7 | 50 µg | 560593 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 50 µg | 560525 | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---------------------------------|-------|-------------|--|-----------------------|-----|------------------|---------|----------|
| Ly-6D (ThB) | Ms | 49-H4 | Rat (Lou/WS1/M) IgG _{2c} , κ | Cyt, FCM, IHC(Fr), IP | RUO | Purified | 0.1 mg | 557360 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.05 mg | 561147 |
| | | | | FCM | RUO | FITC | 0.1 mg | 561148 |
| | | | | FCM | RUO | PE | 0.1 mg | 561149 |
| Ly-6G | Ms | 1A8 | Rat (LEW/N) IgG _{2a} , κ | FCM, IP | RUO | Purified | 0.5 mg | 551459 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 561236 |
| | | | | FCM | RUO | APC | 50 µg | 560599 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560600 |
| | | | | FCM | RUO | FITC | 25 µg | 561105 |
| | | | | FCM | RUO | FITC | 0.5 mg | 551460 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560603 |
| | | | | FCM | RUO | PE | 25 µg | 561104 |
| | | | | FCM | RUO | PE | 0.2 mg | 551461 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 50 µg | 560602 |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560601 |
| Ly-6G and Ly-6C (Gr-1) | Ms | RB6-8C5 | Rat IgG _{2b} , κ | Cyt, FCM | RUO | NA/LE | 0.5 mg | 553122 |
| | | | | Cyt, FCM, IP, WB | RUO | Purified | 0.1 mg | 557445 |
| | | | | Cyt, FCM, IP, WB | RUO | Purified | 0.5 mg | 553123 |
| | | | | IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550291 |
| | | | | FCM, Sep | RUO | Biotin | 0.1 mg | 553124 |
| | | | | FCM, Sep | RUO | Biotin | 0.5 mg | 553125 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557979 |
| | | | | FCM | RUO | APC | 25 µg | 561083 |
| | | | | FCM | RUO | APC | 0.1 mg | 553129 |
| | | | | FCM | RUO | APC-Cy7 | 0.1 mg | 557661 |
| | | | | FCM | RUO | FITC | 0.1 mg | 553126 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553127 |
| | | | | FCM | RUO | BD Horizon V450 | 25 µg | 560454 |
| | | | | FCM | RUO | BD Horizon V450 | 0.1 mg | 560453 |
| | | | | FCM | RUO | PE | 25 µg | 561084 |
| FCM | RUO | PE | 0.1 mg | 553128 | | | | |
| FCM | RUO | PE-Cy7 | 20 µg | 552985 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 25 µg | 561103 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 552093 | | | | |
| Ly-49A⁸⁶ | Ms | A1 | Mouse (BALB/c) IgG _{2a} , κ | FCM | RUO | Biotin | 0.1 mg | 557423 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553677 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 561204 |
| | | | | FCM | RUO | PE | 0.1 mg | 557424 |
| Ly-49C and Ly-49I | Ms | 5E6 | Mouse (129/J) IgG _{2a} , κ | Block, Cyt, FCM, IP | RUO | NA/LE | 0.5 mg | 553273 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 557418 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553276 |
| | | | | FCM | RUO | PE | 0.2 mg | 553277 |
| Ly-49D | Ms | 4E5 | Rat (Fischer 344) IgG _{2a} , κ | FCM, IP | RUO | Purified | 0.5 mg | 555312 |
| | | | | FCM | RUO | FITC | 0.5 mg | 555313 |
| Ly-49F | Ms | HBF-719 | Mouse (BALB/c) IgG ₁ , κ | FCM | RUO | Biotin | 0.1 mg | 550986 |
| | | | | FCM | RUO | PE | 0.1 mg | 550987 |
| Ly-49G2 (LGL-1) | Ms | 4D11 | Rat (Fischer 344) IgG _{2a} , κ | Cyt, FCM, IP | RUO | Purified | 0.5 mg | 555314 |
| | | | | FCM | RUO | APC | 0.1 mg | 555316 |
| | | | | FCM | RUO | FITC | 0.5 mg | 555315 |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560730 |
| Ly-49I | Ms | YLI-90 | Mouse (BALB/c) IgG ₁ , κ | FCM | RUO | PE | 0.1 mg | 550595 |
| Ly-51 (6C3/BP-1 Antigen) | Ms | 6C3 | Rat (Fischer) IgG _{2a} , κ | FCM | RUO | Biotin | 0.5 mg | 553159 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553160 |
| | | BP-1 | Mouse (<i>Mus spretus</i>) IgG _{2a} , κ | FCM | RUO | PE | 0.2 mg | 553735 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|---------|--------------|---|----------------------------------|-----|------------------|---------|----------|
| Ly-108 | Ms | 13G3 | Mouse IgG _{2a} , κ | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 561547 |
| | | | | FCM | RUO | PE | 0.1 mg | 561540 |
| Mac-3 | Ms | M3/84 | Rat (Lewis x BN) IgG ₁ , κ | FCM, IP | RUO | Purified | 0.5 mg | 553322 |
| | | | | IHC(F), IHC(Fr) | RUO | Purified | 1 mL | 550292 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553323 |
| | | | | FCM | RUO | PE | 0.2 mg | 553324 |
| MAdCAM-1 | Ms | MECA-367 | Rat (Wistar) IgG _{2a} , κ | Block, FCM | RUO | NA/LE | 0.5 mg | 553805 |
| | | | | FCM, IP, WB | RUO | Purified | 0.5 mg | 553806 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550556 |
| | | MECA-89 | Rat (Wistar) IgG _{2a} , κ | IHC(Fr) | RUO | Purified | 1 mL | 550555 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553808 |
| | | | | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 558204 |
| MD-1 (Ly-86) | Ms | MD14 | Rat IgG _{2a} , κ | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 558204 |
| β₂ Microglobulin^{hc} (Ly-m11) | Ms | S19.8 | Mouse (SJL) IgG _{2b} , κ | Cyt, FCM, IF | RUO | Purified | 0.5 mg | 555299 |
| NK-1.1 (NKR-P1B and NKR-P1C) | Ms | PK136 | Mouse (C3H x BALB/c) IgG _{2a} , κ | Cost, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553161 |
| | | | | Cyt, FCM, IP | RUO | Purified | 0.5 mg | 553162 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553163 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.05 mg | 560515 |
| | | | | FCM | RUO | APC | 25 µg | 561117 |
| | | | | FCM | RUO | APC | 0.1 mg | 550627 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560618 |
| | | | | FCM | RUO | FITC | 25 µg | 561082 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553164 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560524 |
| | | | | FCM | RUO | PE | 25 µg | 561046 |
| | | | | FCM | RUO | PE | 0.1 mg | 557391 |
| | | | | FCM | RUO | PE | 0.2 mg | 553165 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 552878 |
| FCM | RUO | PerCP-Cy5.5 | 25 µg | 561111 | | | | |
| FCM | RUO | PerCP-Cy5.5 | 0.1 mg | 551114 | | | | |
| NK-T/NK Cell Antigen (ICAM-1) | Ms | U5A2-13 | Rat (Fischer) IgG _{2a} , κ | FCM | RUO | PE | 0.2 mg | 550082 |
| NKG2A/C/E | Ms | 20d5 | Rat (Lewis) IgG _{2a} , κ | FCM | RUO | Purified | 0.1 mg | 550518 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 550519 |
| | | | | FCM | RUO | FITC | 0.5 mg | 550520 |
| P-selectin - IgG Fusion Protein | | | | FCM, IP | RUO | Purified | 0.1 mg | 555294 |
| Panendothelial Cell Antigen | Ms | MECA-32 | Rat IgG _{2a} , κ | FCM, IHC(Fr), IP, WB | RUO | Purified | 0.5 mg | 553849 |
| | | | | IHC(Fr) | RUO | Purified | 1 mL | 550563 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 558773 |
| PIR-A/B | Ms | 6C1 | Rat (Lewis) IgG ₁ , κ | FCM, IP | RUO | Purified | 0.1 mg | 550348 |
| | | | | FCM | RUO | PE | 0.1 mg | 550349 |
| PNA^d Carbohydrate Epitope (CD62L Ligand) | Ms | MECA-79 | Rat (Wistar) IgM, κ | IHC(F), IHC(Fr), IHC(Zn), IP, WB | RUO | Purified | 0.5 mg | 553863 |
| Pre-B Cell Receptor (Pre-BCR) | Ms | SL156 | Rat (LEW) IgG _{2a} , κ | FCM | RUO | Biotin | 0.1 mg | 551863 |
| Pre-T Cell Receptor α chain (pTα) | Ms | 2F5 | Mouse (C57BL/6) IgG ₁ , κ | FCM, IP | RUO | Purified | 0.1 mg | 552407 |
| Qa-1^b | Ms | 6A8.6F10.1A6 | Mouse (B6-T1a ^b , Qa-1 ^b) IgG ₁ , κ | Block, FCM, IP, WB | RUO | NA/LE | 0.5 mg | 559827 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 559829 |
| Qa-2 | Ms | 1-1-02 | Mouse (C3H.KBR) IgG _{2a} , κ | FCM, IHC(Fr) | RUO | Biotin | 0.1 mg | 558973 |
| RANKL/TRANCE | Ms | IK22-5 | Rat IgG _{2a} , κ | FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 560296 |
| | | | | FCM | RUO | PE | 0.1 mg | 560295 |
| RT1B | Ms, Rat | OX-6 | Mouse (BALB/c) IgG ₁ , κ | FCM, IHC(F), IHC(Fr), IP | RUO | Purified | 0.5 mg | 554926 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 554927 |
| | | | | FCM | RUO | FITC | 0.5 mg | 554928 |
| | | | | FCM | RUO | PE | 0.2 mg | 554929 |
| | | | | FCM | RUO | PerCP | 0.1 mg | 557016 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|---------|-------------|----------------------------------|---------------------------------|-----|------------------|----------|----------|
| Siglec-F | Ms | E50-2440 | Rat (Lou) IgG _{2b} κ | ELISA, FCM, IF, IHC(Fr) | RUO | Purified | 0.1 mg | 552125 |
| | | | | FCM | RUO | PE | 0.1 mg | 552126 |
| Syndecan-4 | Ms | KY/8.2 | Rat (Wistar) IgG _{2b} κ | ELISA, FCM | RUO | Purified | 0.1 mg | 550350 |
| | | | | FCM | RUO | Biotin | 0.1 mg | 550351 |
| | | | | FCM | RUO | PE | 0.1 mg | 550352 |
| T- and B-Cell Activation Antigen (GL7, Ly-77) | Ms | GL7 | Rat (Louvain) IgM, κ | FCM | RUO | Alexa Fluor® 647 | 50 µg | 561529 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553666 |
| | | | | FCM | RUO | PE | 50 µg | 561530 |
| TCR β chain | Ms | H57-597 | Armenian Hamster IgG2, λ1 | FCM | RUO | NA/LE | 0.5 mg | 553166 |
| | | | | Cost, Cyt, FCM, IHC(Fr), IP, WB | RUO | Purified | 0.5 mg | 553167 |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.1 mg | 553168 |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.5 mg | 553169 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 µg | 560705 |
| | | | | FCM | RUO | APC | 25 µg | 561080 |
| | | | | FCM | RUO | APC | 0.1 mg | 553174 |
| | | | | FCM | RUO | APC-Cy7 | 50 µg | 560656 |
| | | | | FCM, IF | RUO | FITC | 0.1 mg | 553170 |
| | | | | FCM, IF | RUO | FITC | 0.5 mg | 553171 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560706 |
| | | | | FCM, FM | RUO | PE | 25 µg | 561081 |
| | | | | FCM* | RUO | PE | 0.1 mg | 553172 |
| | | | | FCM | RUO | PE-Cy5 | 0.1 mg | 553173 |
| | | | | FCM | RUO | PE-Cy7 | 50 µg | 560729 |
| FCM | RUO | PerCP-Cy5.5 | 50 µg | 560657 | | | | |
| TCR γδ | Ms | GL3 | Armenian Hamster IgG2, κ | FCM, IF, IHC(Fr), IP | RUO | Purified | 0.5 mg | 553175 |
| | | | | FCM | RUO | Biotin | 0.5 mg | 553176 |
| | | | | FCM | RUO | FITC | 0.5 mg | 553177 |
| | | | | FCM | RUO | PE | 0.1 mg | 553178 |
| | | GL4 | Armenian Hamster IgG2, κ | Cost, FCM, IP | RUO | Purified | 0.5 mg | 553180 |
| | | UC7-13D5 | Armenian Hamster IgG3, κ | Cost, Cyt, FCM | RUO | NA/LE | 0.5 mg | 553181 |
| | | | | Cost, FCM, IP | RUO | Purified | 0.5 mg | 553182 |
| TCR Vβ Screening Panel | | | | FCM | RUO | FITC | 50 tests | 557004 |
| TER-119/Erythroid cells (Ly-76) | Ms | TER-119 | Rat (Wistar) IgG _{2b} κ | FCM | RUO | NA/LE | 0.5 mg | 553669 |
| | | | | FCM, IP, WB | RUO | Purified | 0.1 mg | 553670 |
| | | | | FCM, IP, WB | RUO | Purified | 0.5 mg | 553671 |
| | | | | IHC(F), IHC(Fr), IHC(Zn) | RUO | Purified | 1 mL | 550565 |
| | | | | FCM, IHC | RUO | Biotin | 0.5 mg | 553672 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 0.05 mg | 560508 |
| | | | | FCM | RUO | APC | 25 µg | 561033 |
| | | | | FCM | RUO | APC | 0.1 mg | 557909 |
| | | | | FCM | RUO | APC-Cy7 | 0.05 mg | 560509 |
| | | | | FCM | RUO | FITC | 25 µg | 561032 |
| | | | | FCM | RUO | FITC | 0.1 mg | 557915 |
| | | | | FCM | RUO | BD Horizon V450 | 50 µg | 560504 |
| | | | | FCM | RUO | PE | 25 µg | 561071 |
| | | | | FCM | RUO | PE | 0.2 mg | 553673 |
| | | | | FCM | RUO | PE-Cy7 | 0.1 mg | 557853 |
| FCM | RUO | PerCP-Cy5.5 | 50 µg | 560512 | | | | |
| Tyrosine Hydroxylase | Ms, Rat | 45 | Mouse IgG ₁ | WB | RUO | Purified | 50 µg | 612300 |
| Vα 11.1, 11.2^{b,d} TCR | Ms | RR8-1 | Rat IgG _{2b} κ | FCM | RUO | Biotin | 0.25 mg | 553221 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553222 |
| | | | | FCM | RUO | PE | 0.1 mg | 553223 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Cell Surface Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|-------|----------|---|-----------------|-----|------------------|------------|----------|
| Vα 2 TCR | Ms | B20.1 | Rat (Lou/W1) IgG _{2b} , λ | FCM | RUO | Biotin | 0.25 mg | 553287 |
| | | | | FCM | RUO | Alexa Fluor® 700 | 50 μ g | 561239 |
| | | | | FCM | RUO | APC | 50 μ g | 560622 |
| | | | | FCM | RUO | APC-Cy7 | 50 μ g | 560623 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553288 |
| | | | | FCM | RUO | BD Horizon V450 | 50 μ g | 560625 |
| | | | | FCM | RUO | PE | 25 μ g | 561078 |
| | | | | FCM | RUO | PE | 0.1 mg | 553289 |
| | | | | FCM | RUO | PE-Cy7 | 50 μ g | 560624 |
| | | | | FCM | RUO | PerCP-Cy5.5 | 50 μ g | 560529 |
| Vα 3.2^{b,c} TCR | Ms | RR3-16 | Rat (Fischer) IgG _{2b} , κ | FCM | RUO | Biotin | 0.25 mg | 553218 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553219 |
| Vα 8.3 TCR | Ms | B21.14 | Rat (Lou/W1) IgG ₁ , κ | FCM | RUO | FITC | 0.25 mg | 553376 |
| | | | | FCM | RUO | PE | 0.1 mg | 553377 |
| Vβ 2 TCR | Ms | KT50 | Rat (SD) IgG _{2a} , κ | FCM | RUO | Biotin | 0.25 mg | 557096 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553279 |
| Vβ 3 TCR | Ms | B20.6 | Rat (Lou/W1) IgG _{2a} , κ | FCM | RUO | FITC | 0.25 mg | 553280 |
| | | | | FCM | RUO | PE | 0.1 mg | 553281 |
| | | | | FCM | RUO | Biotin | 0.25 mg | 553207 |
| Vβ 4 TCR | Ms | KJ25 | Armenian Hamster IgG2, κ | FCM | RUO | FITC | 0.25 mg | 553208 |
| | | | | FCM | RUO | PE | 0.1 mg | 553209 |
| | | | | FCM | RUO | Biotin | 0.25 mg | 553364 |
| Vβ 5.1, 5.2 TCR | Ms | KT4 | Rat (SD) IgG _{2a} , κ | FCM | RUO | FITC | 0.25 mg | 553365 |
| | | | | FCM | RUO | PE | 0.1 mg | 553366 |
| | | | | FCM | RUO | Biotin | 0.25 mg | 553188 |
| Vβ 6 TCR | Ms | MR9-4 | Mouse (SWR) IgG ₁ , κ | FCM | RUO | FITC | 0.25 mg | 553189 |
| | | | | FCM | RUO | PE | 0.1 mg | 553190 |
| | | | | FCM | RUO | Biotin | 0.25 mg | 553192 |
| Vβ 7 TCR | Ms | RR4-7 | Rat (Fischer) IgG _{2b} , λ | FCM | RUO | FITC | 0.25 mg | 553193 |
| | | | | FCM | RUO | PE | 0.1 mg | 553194 |
| | | | | FCM | RUO | Biotin | 0.25 mg | 553215 |
| Vβ 8 TCR | Ms | TR310 | Rat (Fischer) IgG _{2b} , κ | FCM | RUO | PE | 0.1 mg | 553216 |
| | | | | FCM | RUO | Biotin | 0.25 mg | 553859 |
| | | | | FCM | RUO | EM, FCM, IHC(Fr) | 0.25 mg | 553860 |
| Vβ 8.1, 8.2 TCR | Ms | F23.1 | Mouse (C57L/J) IgG _{2a} , κ | FCM | RUO | FITC | 0.25 mg | 553861 |
| | | | | FCM | RUO | PE | 0.1 mg | 553862 |
| | | | | FCM, IHC(Fr) | RUO | Biotin | 0.25 mg | 553184 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553185 |
| Vβ 8.3 TCR | Ms | MR5-2 | Mouse (C57L) IgG _{2a} , κ | FCM | RUO | PE | 0.1 mg | 553186 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553663 |
| | | | | FCM | RUO | PE | 0.1 mg | 553664 |
| Vβ 9 TCR | Ms | 1B3.3 | Armenian Hamster IgG3, λ 1 | FCM | RUO | FITC | 0.25 mg | 553201 |
| Vβ 10^b TCR | Ms | MR10-2 | Mouse (SWR) IgG ₁ , κ | FCM | RUO | FITC | 0.25 mg | 553284 |
| | | | | FCM | RUO | PE | 0.1 mg | 553285 |
| Vβ 11 TCR | Ms | B21.5 | Rat (Lou/W1) IgG _{2a} , λ | FCM | RUO | Biotin | 0.25 mg | 553196 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553197 |
| | | | | FCM | RUO | PE | 0.1 mg | 553198 |
| Vβ 12 TCR | Ms | RR3-15 | Rat (Fischer) IgG _{2b} , κ | FCM | RUO | Biotin | 0.25 mg | 553299 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553300 |
| Vβ 13 TCR | Ms | MR11-1 | Mouse (SWR) IgG ₁ , κ | FCM | RUO | FITC | 0.25 mg | 553204 |
| Vβ 14 TCR | Ms | MR12-3 | Mouse (C57BR) IgG ₁ , κ | FCM | RUO | FITC | 0.25 mg | 553257 |
| Vβ 17^a TCR | Ms | 14-2 | Rat (Fischer) IgM, κ | FCM | RUO | Biotin | 0.25 mg | 553258 |
| | | | | FCM | RUO | FITC | 0.25 mg | 553212 |
| Vδ 4 TCR | Ms | KJ23 | Mouse (BALB/c) IgG _{2a} , κ | FCM | RUO | FITC | 0.25 mg | 552143 |
| Vδ 6.3/2 TCR | Ms | GL2 | Armenian Hamster IgG2, κ | FCM | RUO | FITC | 0.1 mg | 553321 |
| Vγ 2 TCR | Ms | 8F4H7B7 | Armenian Hamster IgG2, κ | FCM | RUO | PE | 0.1 mg | 553226 |
| Vγ 3 TCR | Ms | UC3-10A6 | Armenian Hamster IgG1, κ | FCM | RUO | FITC | 0.25 mg | 553229 |
| VEGFR-3 | Ms | 536 | Syrian Hamster IgG1, κ | FCM, IF | RUO | FITC | 0.25 mg | 552857 |
| | Ms | AFL4 | Rat IgG _{2a} , κ | IHC(Fr), IHC(P) | RUO | Purified | 1 mL | 552857 |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Intracellular Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | |
|--------------------------------|--------|-------------|------------------------------------|------------------------|---------------------------------|------------------|------------|----------|---------|--------|
| Bcl-6 | Hu, Ms | K112-91 | Mouse IgG1, κ | IC/FCM, IHC(F*), WB | RUO | Purified | 0.1 mg | 561520 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 50 tests | 561524 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 50 tests | 561525 | | |
| | | | | IC/FCM | RUO | PE | 50 tests | 561522 | | |
| CSF-1 | Ms | 5A1 | Rat IgG ₁ , κ | Neu | RUO | NA/LE | 0.5 mg | 557858 | | |
| | | | | ELISA Cap. | RUO | Purified | 0.5 mg | 552513 | | |
| Epo | Ms | B34-1 | Rat IgG ₁ | Neu, WB | RUO | NA/LE | 0.5 mg | 554651 | | |
| Foxp3 | Ms | MF23 | Rat IgG _{2b} | IC/FCM | RUO | Alexa Fluor® 488 | 0.025 mg | 560407 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 560403 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.025 mg | 560402 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 560401 | | |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 μ g | 561293 | | |
| | | | | IC/FCM | RUO | PE | 0.025 mg | 560414 | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 560408 | | |
| GM-CSF | Ms | MP1-22E9 | Rat IgG _{2a} | Neu | RUO | NA/LE | 0.5 mg | 554403 | | |
| | | | | ELISA Cap., WB | RUO | Purified | 0.5 mg | 554404 | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554406 | | |
| IFN-γ | Ms | AN-18 | Rat IgG ₁ , κ | ELISA Cap., IP | RUO | Purified | 0.5 mg | 551309 | | |
| | | | | H22 | Armenian Hamster IgG1, κ | Neu | RUO | NA/LE | 0.25 mg | 557530 |
| | | | | R4-6A2 | Rat IgG ₁ | Neu | RUO | NA/LE | 0.5 mg | 554430 |
| | | XMG1.2 | Rat IgG ₁ , κ | ELISA Cap., WB | RUO | Purified | 1.0 mg | 551216 | | |
| | | | | ELISA Det. | RUO | Biotin | 0.5 mg | 551506 | | |
| | | | | Neu | RUO | NA/LE | 0.5 mg | 554408 | | |
| | | | | IC/FCM Block, WB | RUO | Purified | 0.1 mg | 554409 | | |
| | | | | ICC | RUO | Purified | 0.25 mg | 559065 | | |
| | | | | ELISA Det. | RUO | Biotin | 0.5 mg | 554410 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557724 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557735 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 557998 | | |
| | | IC/FCM | RUO | APC | 0.1 mg | 554413 | | | | |
| | | IC/FCM | RUO | FITC | 0.1 mg | 554411 | | | | |
| | | IC/FCM | RUO | BD Horizon V450 | 50 μ g | 560661 | | | | |
| IC/FCM | RUO | PE | 0.1 mg | 554412 | | | | | | |
| IC/FCM | RUO | PE-Cy7 | 25 μ g | 561040 | | | | | | |
| IC/FCM | RUO | PE-Cy7 | 0.1 mg | 557649 | | | | | | |
| IC/FCM | RUO | PerCP-Cy5.5 | 50 μ g | 560660 | | | | | | |
| IL-1α | Ms | ALF-161 | Armenian Hamster IgG1, λ 1 | ELISA Cap., IC/FCM, WB | RUO | Purified | 0.5 mg | 550604 | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 559810 | | |
| | | C1150-27 | Rabbit Ig | ELISA Det. | RUO | Biotin | 0.5 mg | 550606 | | |
| IL-1β | Ms | B122 | Armenian Hamster IgG1, λ 1 | Neu | RUO | NA/LE | 0.25 mg | 557539 | | |
| | | | | ELISA Cap., IP/WB | RUO | Purified | 0.5 mg | 550605 | | |
| IL-2 | Ms | JES6-1A12 | Rat IgG _{2a} | ELISA Cap., IP | RUO | Purified | 0.5 mg | 554424 | | |
| | | | | JES6-5H4 | Rat IgG _{2b} | IC/FCM Block, IP | RUO | Purified | 0.1 mg | 554425 |
| | | S4B6 | Rat IgG _{2a} | ELISA Det. | RUO | Biotin | 0.5 mg | 554426 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557725 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 700 | 50 μ g | 561287 | | |
| | | | | IC/FCM | RUO | APC | 0.1 mg | 554429 | | |
| | | | | IC/FCM | RUO | FITC | 0.1 mg | 554427 | | |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 μ g | 560546 | | |
| | | | | IC/FCM | RUO | PE | 25 μ g | 561061 | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554428 | | |
| IC/FCM | RUO | PerCP-Cy5.5 | 50 μ g | 560544 | | | | | | |
| IC/FCM | RUO | NA/LE | 0.5 mg | 554375 | | | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Intracellular Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--------------------------|--------------------------|-----------|--------------------------|------------------------------|-----------------------|------------------|---------|----------|
| IL-3 | Ms | MP2-43D1 | Rat IgG _{2a} | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554384 |
| | | | Rat IgG ₁ | Neu | RUO | NA/LE | 0.5 mg | 554379 |
| | | MP2-8F8 | Rat IgG ₁ | ELISA Cap., IC/FCM Block | RUO | Purified | 0.5 mg | 554381 |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554383 |
| IL-4 | Ms | 11B11 | Rat IgG ₁ | Neu | RUO | NA/LE | 0.5 mg | 554432 |
| | | | | ELISA Cap., IC/FCM Block | RUO | Purified | 0.1 mg | 554433 |
| | | | | ICC | RUO | Purified | 0.25 mg | 559062 |
| | | | | ELISA Cap. | RUO | Purified | 0.5 mg | 554434 |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557728 |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557739 |
| | | | | IC/FCM | RUO | APC | 0.1 mg | 554436 |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 µg | 560701 |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554435 |
| | | | | IC/FCM | RUO | PE-Cy7 | 50 µg | 560699 |
| | | IC/FCM | RUO | PerCP-Cy5.5 | 50 µg | 560700 | | |
| | | BVD4-1D11 | Rat IgG _{2b} | Neu | RUO | NA/LE | 0.5 mg | 554385 |
| | | | | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.1 mg | 554386 |
| | | | | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | 554387 |
| | | BVD6-24G2 | Rat IgG ₁ | IC/FCM | RUO | PE | 0.1 mg | 554389 |
| ELISA Det. | RUO | | | Biotin | 0.5 mg | 554390 | | |
| IL-5 | Ms | TRFK4 | Rat IgG _{2a} | ELISA Det. | RUO | Biotin | 0.5 mg | 554397 |
| | | | | Neu | RUO | NA/LE | 0.5 mg | 554391 |
| | | | | ELISA Cap., WB, IC/FCM Block | RUO | Purified | 0.1 mg | 554392 |
| | | | | ELISA Cap., WB, IC/FCM Block | RUO | Purified | 0.5 mg | 554393 |
| | | | | IC/FCM | RUO | APC | 0.1 mg | 554396 |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554395 |
| IL-6 | Ms | MP5-20F3 | Rat IgG ₁ | Neu | RUO | NA/LE | 0.5 mg | 554398 |
| | | | | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | 554400 |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 50 µg | 561363 |
| | | | | IC/FCM | RUO | APC | 50 µg | 561367 |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 µg | 561376 |
| | | IC/FCM | RUO | PE | 0.1 mg | 554401 | | |
| | | MP5-32C11 | Rat IgG _{2a} | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554402 |
| | | IL-9 | Ms | D8402E8 | Rat IgG _{2a} | ELISA Cap. | RUO | Purified |
| Armenian Hamster IgG2, κ | Neu | | | | RUO | NA/LE | 0.5 mg | 554472 |
| D9302C12 | Armenian Hamster IgG2, κ | | | ELISA Det. | RUO | Biotin | 0.5 mg | 554473 |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 561464 |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 561463 |
| | | | | IC/FCM | RUO | PerCP-Cy5.5 | 50 µg | 561492 |
| IL-10 | Ms | JES5-16E3 | Rat IgG _{2b} | Neu | RUO | NA/LE | 0.5 mg | 554463 |
| | | | | IC/FCM Block | RUO | Purified | 0.1 mg | 554464 |
| | | | | ICC | RUO | Purified | 0.25 mg | 559063 |
| | | | | ELISA Det. | RUO | Biotin | 0.5 mg | 554465 |
| | | | | IC/FCM | RUO | APC | 25 µg | 561059 |
| | | | | IC/FCM | RUO | APC | 0.1 mg | 554468 |
| | | | | IC/FCM | RUO | FITC | 0.1 mg | 554466 |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 µg | 561429 |
| | | | | IC/FCM | RUO | PE | 25 µg | 561060 |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554467 |
| | | JES5-2A5 | Rat IgG ₁ , κ | Neu | RUO | NA/LE | 0.5 mg | 554421 |
| | | SXC-1 | Rat IgM | ELISA Cap., WB | RUO | Purified | 1.0 mg | 551215 |
| ELISA Det. | RUO | Biotin | 0.5 mg | 554423 | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Intracellular Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | | | |
|------------------------------|----------------------|----------------------------|----------------------------|------------------------|--------|------------------|--------------------------|-----------------|--------|----------|--------|--------|
| IL-12 (p40/p70) | Ms | C15.6 | Rat IgG ₁ | IC/FCM Block | RUO | Purified | 0.1 mg | 554477 | | | | |
| | | | | ELISA Cap. | RUO | Purified | 1.0 mg | 551219 | | | | |
| | | | | IC/FCM | RUO | APC | 0.1 mg | 554480 | | | | |
| | | | | IC/FCM | RUO | FITC | 0.1 mg | 560564 | | | | |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 µg | 561456 | | | | |
| | | C17.8 | Rat IgG _{2a} | IC/FCM | RUO | PE | 0.1 mg | 554479 | | | | |
| | | | | Neu | RUO | NA/LE | 0.5 mg | 554475 | | | | |
| | | | | ELISA Det., IP, WB | RUO | Biotin | 0.5 mg | 554476 | | | | |
| | | | | IL-12 (p70) | Ms | 9A5 | Rat IgG _{2b} | ELISA Cap. | RUO | Purified | 0.5 mg | 554658 |
| | | | | IL-17A | Ms | TC11-18H10 | Rat IgG ₁ , κ | IC/FCM, Neu, WB | RUO | NA/LE | 0.5 mg | 560268 |
| ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.1 mg | | | | | 559501 | | | | |
| ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | | | | | 555068 | | | | |
| IC/FCM | RUO | Alexa Fluor® 488 | 25 µg | | | | | 560221 | | | | |
| IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | | | | | 560220 | | | | |
| IC/FCM | RUO | Alexa Fluor® 647 | 25 µg | | | | | 560224 | | | | |
| IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | | | | | 560184 | | | | |
| IC/FCM | RUO | Alexa Fluor® 700 | 50 µg | | | | | 560820 | | | | |
| IC/FCM | RUO | APC-Cy7 | 50 µg | | | | | 560821 | | | | |
| IC/FCM | RUO | BD Horizon V450 | 50 µg | | | | | 560522 | | | | |
| IC/FCM | RUO | PE | 25 µg | | | | | 561020 | | | | |
| IC/FCM | RUO | PE | 0.1 mg | | | | | 559502 | | | | |
| IC/FCM | RUO | PerCP-Cy5.5 | 0.1 mg | | | | | 560666 | | | | |
| TC11-8H4.1 | Rat IgG ₁ | ELISA Det., WB | RUO | | | | | Biotin | 0.5 mg | 555067 | | |
| IL-17F | Ms | 079-289 | Mouse (BALB/c) IgG1, κ | IC/FCM | RUO | Alexa Fluor® 488 | 25 µg | 561658 | | | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 561631 | | | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 25 µg | 561657 | | | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 561630 | | | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 561627 | | | | |
| | | | | IC/FCM | RUO | PE | 25 µg | 561656 | | | | |
| Ki-67 | Hu, Ms, Pig, RatB56 | | Mouse IgG ₁ , κ | Bioimg, IC/FCM | RUO | Purified | 0.1 mg | 556003 | | | | |
| | | | | IHC(F)*, IHC(Fr) | RUO | Purified | 1 mL | 550609 | | | | |
| | | | | IC/FCM | RUO | FITC Set | 100 tests | 556026 | | | | |
| | | | | IC/FCM | RUO | PE Set | 100 tests | 556027 | | | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 700 | 50 tests | 561277 | | | | |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 tests | 561281 | | | | |
| | | | | IC/FCM | RUO | PE-Cy7 | 50 tests | 561283 | | | | |
| | | | | IC/FCM | RUO | PerCP-Cy5.5 | 50 tests | 561284 | | | | |
| MCP-1 | Ms, Rat | 2H5 | Armenian Hamster IgG1, κ | Neu | RUO | NA/LE | 0.5 mg | 554440 | | | | |
| | | | | ELISA Cap., IC/FCM | RUO | Purified | 1.0 mg | 551217 | | | | |
| | Ms | 4E2/MCP | Armenian Hamster IgG1, λ 1 | ELISA Det., WB | IC/FCM | RUO | PE | 0.1 mg | 554443 | | | |
| | | | | | RUO | Biotin | 0.5 mg | 554444 | | | | |
| MIP-1β | Ms | A65-2 | Rat IgG ₁ ,κ | ELISA Cap. | RUO | Purified | 0.5 mg | 556852 | | | | |
| Notch1 | Hu, Ms | mN1A | Mouse IgG ₁ , κ | ELISA, IC/FCM, IHC, WB | RUO | Purified | 0.1 mg | 552466 | | | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 552768 | | | | |
| T-bet | Hu, Ms | 4B10 | Mouse IgG ₁ , κ | IC/FCM, IHC(F*), WB | RUO | Purified | 0.1 mg | 561262 | | | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 50 tests | 561264 | | | | |
| | | | | IC/FCM | RUO | PE | 50 tests | 561265 | | | | |
| | | | | IC/FCM, IHC(F*), WB | RUO | Purified | 0.1 mg | 561263 | | | | |
| | 04-46 | Mouse IgG ₁ , κ | | | IC/FCM | RUO | Alexa Fluor® 488 | 50 tests | 561266 | | | |
| | | | | | IC/FCM | RUO | Alexa Fluor® 647 | 50 tests | 561267 | | | |
| | | | | | IC/FCM | RUO | BD Horizon V450 | 50 tests | 561312 | | | |
| | | | | | IC/FCM | RUO | PE | 50 tests | 561268 | | | |
| IC/FCM | RUO | PerCP-Cy5.5 | 50 tests | 561316 | | | | | | | | |

Mouse Research Reagents Product List

Anti-Mouse Antigens - Intracellular Antigens

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. | | |
|----------------------------------|-------------|-----------|----------------------------|------------------------------|----------------------|------------------|---------|----------|--------|--------|
| TGF-β1 | Hu, Ms, Pig | A75-2 | Rat IgG _{2a} | ELISA Cap., WB | RUO | Purified | 0.5 mg | 555052 | | |
| | | A75-3 | Rat IgG _{2a} | ELISA Det. | RUO | Biotin | 0.5 mg | 555053 | | |
| TNF | Ms, Rat | 516D1A1 | Human Fab Ig | ELISA Det. | RUO | Biotin | 0.5 mg | 558415 | | |
| | | C1150-14 | Rabbit Ig | ELISA Det. | RUO | Biotin | 0.5 mg | 557432 | | |
| | | G281-2626 | Rat IgG ₁ | Neu | RUO | NA/LE | 0.5 mg | 554640 | | |
| | Ms | MP6-XT22 | Rat IgG ₁ | ELISA Cap., WB | RUO | Purified | 1.0 mg | 551225 | | |
| | | | | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.1 mg | 554416 | | |
| | | | | ICC | RUO | Purified | 0.25 mg | 559064 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 488 | 0.1 mg | 557719 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 647 | 0.1 mg | 557730 | | |
| | | | | IC/FCM | RUO | Alexa Fluor® 700 | 0.1 mg | 558000 | | |
| | | | | IC/FCM | RUO | APC | 25 µg | 561062 | | |
| | | | | IC/FCM | RUO | APC | 0.1 mg | 554420 | | |
| | | | | IC/FCM | RUO | APC-Cy7 | 50 µg | 560658 | | |
| | | | | IC/FCM | RUO | FITC | 25 µg | 561064 | | |
| | | | | IC/FCM | RUO | FITC | 0.1 mg | 554418 | | |
| | | | | IC/FCM | RUO | BD Horizon V450 | 50 µg | 560655 | | |
| | | | | IC/FCM | RUO | PE | 25 µg | 561063 | | |
| | | | | IC/FCM | RUO | PE | 0.1 mg | 554419 | | |
| | | | | IC/FCM | RUO | PE-Cy7 | 25 µg | 561041 | | |
| | | | | IC/FCM | RUO | PE-Cy7 | 0.1 mg | 557644 | | |
| | | | | IC/FCM | RUO | PerCP-Cy5.5 | 50 µg | 560659 | | |
| | Ms, Rat | TN3-19.12 | Armenian Hamster IgG1, λ 1 | MP6-XT3 | Rat IgG ₁ | Neu | RUO | NA/LE | 0.5 mg | 554414 |
| | | | | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554415 | | |
| | | | | IP, Neu, WB | RUO | NA/LE | 0.5 mg | 557370 | | |
| ELISA Cap., IC/FCM Block, IP, WB | | | | RUO | Purified | 0.5 mg | 557516 | | | |
| IC/FCM | | | | RUO | PE | 0.1 mg | 559503 | | | |

Mouse Research Reagents Product List

Flow Cytometry Cocktails and Kits

| DESCRIPTION | REACT | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|-------|----------|-----|--|-------------|---------------|
| B Lymphocyte Subset Antibody Cocktail, with Isotype Control | Ms | FCM | RUO | B220 PE-Cy-7/CD23 PE/ sIgM FITC | 100 tests | 558331 |
| | | FCM | RUO | B220 PE-Cy-7/CD23 PE/ sIgM APC | 100 tests | 558332 |
| B Lymphocyte Activation Antibody Cocktail, with Isotype Control | Ms | FCM | RUO | CD25 PE-Cy7/CD69 PE/ CD19 APC | 100 tests | 558063 |
| | | FCM | RUO | CD25 PE-Cy7/CD69 PE/ CD19 FITC | 100 tests | 558064 |
| T Lymphocyte Activation Antibody Cocktail, with Isotype Control | Ms | FCM | RUO | CD25 PE-Cy7/CD69 PE/ CD3e APC | 100 tests | 557908 |
| | | FCM | RUO | CD25 PE-Cy7/CD69 PE/ CD3e FITC | 100 tests | 557916 |
| T Lymphocyte Subset Antibody Cocktail, with Isotype Control | Ms | FCM | RUO | CD3e PE-Cy7/CD PE/ CD8 FITC | 100 tests | 558391 |
| | | FCM | RUO | CD3e PE-Cy7/CD PE/ CD8 APC | 100 tests | 558431 |
| Lineage Antibody Cocktail, with Isotype Control | Ms | FCM | RUO | CD3e/CD11 b/B220/ Ly-76/Ly-6G and 6C all BD Horizon V450 | 100 tests | 561301 |
| Lineage Cocktail | Ms | FCM, Sep | RUO | CD3e/CD11 b/B220/ Ly-76/Ly-6G and 6C all Biotin | 1,000 tests | 559971 |
| Lineage Cocktail, with Isotype Control | Ms | FCM | RUO | CD3e/CD11 b/B220/ Ly-76/Ly-6G and 6C all APC | 100 tests | 558074 |
| Lineage Antibody Cocktail, with Isotype Control | Ms | FCM | RUO | CD3e/CD11 b/B220/ Ly-76/Ly-6G and 6C all PerCPy5.5 | 100 tests | 561317 |
| Mouse Hematopoietic Stem Cell Isolation Kit | | FCM | RUO | CD34 FITC/c-Kit PE/ Sca-1 PE-Cy7/lineage cocktail APC | 100 tests | 560492 |
| Mouse Intracellular Cytokine Staining Starter Kit | | IC/FCM | RUO | This kit contains the essential reagents for the activation of a mouse spleen cell population and their subsequent intracellular staining to detect IL-2, IFN- γ , and TNF- α -producing cells. Positive and negative controls are included. | 25 tests | 559311 |
| Mouse Naive/Memory T Cell Panel | | FCM | RUO | CD44 PE/ CD4 PerCP-Cy5.5/ CD62L APC/CD3 Molecular Complex APC-Cy7 | 50 tests | 561609 |
| Human And Mouse Pluripotent Stem Cell Analysis Kit | | FCM | RUO | Oct 3/4 PerCP-Cy5.5/ SSEA-4 Alexa Fluor® 647/ SSEA-1 PE | 50 tests | 560477 |
| Mouse Pluripotent Stem Cell Transcription Factor Analysis Kit | | FCM | RUO | Nanog PE/ Oct 3/4 PerCP-Cy5.5/ Sox-2 Alexa Fluor® 647 | 50 tests | 560585 |
| Mouse Th1/Th2/Th17 Phenotyping Kit | | FCM | RUO | Mouse Th1/Th2/Th17 Phenotyping Cocktails (CD4 PerCP-Cy5.5, IL-17A PE, IFN- γ FITC, IL-4 APC), BD Cytotfix™ Fixation Buffer, BD Perm/Wash™ Buffer, BD GolgiStop™ Protein Transport Inhibitor | 50 tests | 560758 |
| Mouse Th1/Th17 Phenotyping Kit | | FCM | RUO | Mouse Th1/Th17 Phenotyping Cocktail (CD4 PerCP-Cy5.5, IL-17A PE, Mouse IFN- γ FITC), BD Cytotfix™ Fixation Buffer, BD Perm/Wash™ Buffer, BD GolgiStop™ Protein Transport Inhibitor | 50 tests | 560759 |
| Mouse Th17/Treg Phenotyping Kit | | FCM | RUO | Mouse Th17/Treg Phenotyping Cocktail (CD4 PerCP-Cy5.5, IL-17A PE, Foxp3 Alexa Fluor® 647), Mouse Foxp3 Fixation Concentrate (20X), Mouse Foxp3 Permeabilization Concentrate (5X), BD GolgiStop™ Protein Transport Inhibitor (containing monensin) | 50 tests | 560767 |

Mouse Research Reagents Product List

Immunoassays – CBA

| DESCRIPTION | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|------|-----|--|-----------|----------|
| Mouse/Rat Soluble Protein Master Buffer Kit | FCM | RUO | | 100 tests | 558266 |
| Mouse/Rat Soluble Protein Master Buffer Kit | FCM | RUO | | 500 tests | 558267 |
| Mouse CD62E (E-Selectin) Flex Set (Bead E6) | FCM | RUO | | 100 tests | 560384 |
| Mouse CD62L (L-Selectin) Flex Set (Bead E7) | FCM | RUO | | 100 tests | 560385 |
| Mouse G-CSF Flex Set (Bead D4) | FCM | RUO | | 100 tests | 560152 |
| Mouse GM-CSF Flex Set (Bead B9) | FCM | RUO | | 100 tests | 558347 |
| Mouse IFN- γ Flex Set (Bead A4) | FCM | RUO | | 100 tests | 558296 |
| Mouse IFN- γ Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558473 |
| Mouse IL-1 α Flex Set (Bead E4) | FCM | RUO | | 100 tests | 560157 |
| Mouse IL-1 β Flex Set (Bead E5) | FCM | RUO | | 100 tests | 560232 |
| Mouse IL-1 β Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 561667 |
| Mouse IL-2 Flex Set (Bead A5) | FCM | RUO | | 100 tests | 558297 |
| Mouse IL-2 Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558476 |
| Mouse IL-3 Flex Set (Bead A8) | FCM | RUO | | 100 tests | 558346 |
| Mouse IL-4 Flex Set (Bead A7) | FCM | RUO | | 100 tests | 558298 |
| Mouse IL-4 Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558477 |
| Mouse IL-5 Flex Set (Bead A6) | FCM | RUO | | 100 tests | 558302 |
| Mouse IL-5 Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558478 |
| Mouse IL-6 Flex Set (Bead B4) | FCM | RUO | | 100 tests | 558301 |
| Mouse IL-6 Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558479 |
| Mouse IL-9 Flex Set (Bead B5) | FCM | RUO | | 100 tests | 558348 |
| Mouse IL-10 Flex Set (Bead C4) | FCM | RUO | | 100 tests | 558300 |
| Mouse IL-10 Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558474 |
| Mouse IL-12 p70 Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558475 |
| Mouse IL-12/IL-23p40 Flex Set (Bead D7) | FCM | RUO | | 100 tests | 560151 |
| Mouse IL-12p70 Flex Set (Bead D7) | FCM | RUO | | 100 tests | 558303 |
| Mouse IL-13 Flex Set (Bead B8) | FCM | RUO | | 100 tests | 558349 |
| Mouse IL-17A Flex Set (Bead C5) | FCM | RUO | | 100 tests | 560283 |
| Mouse IL-21 Flex Set (Bead B6) | FCM | RUO | | 100 tests | 560160 |
| Mouse KC Flex Set (Bead A9) | FCM | RUO | | 100 tests | 558340 |
| Mouse MCP-1 Flex Set (Bead B7) | FCM | RUO | | 100 tests | 558342 |
| Mouse MIG Flex Set (Bead D9) | FCM | RUO | | 100 tests | 558341 |
| Mouse MIP-1 α Flex Set (Bead C7) | FCM | RUO | | 100 tests | 558449 |
| Mouse MIP-1 β Flex Set (Bead C9) | FCM | RUO | | 100 tests | 558343 |
| Mouse RANTES Flex Set (Bead D8) | FCM | RUO | | 100 tests | 558345 |
| Mouse TNF Flex Set (Bead C8) | FCM | RUO | | 100 tests | 558299 |
| Mouse TNF Flex Set Standard | FCM | RUO | Lyophilized | 1 vial | 558480 |
| Mouse/Rat Soluble Protein Master Buffer Kit | FCM | RUO | | 100 tests | 558266 |
| Mouse/Rat Soluble Protein Master Buffer Kit | FCM | RUO | | 500 tests | 558267 |
| Mouse Immunoglobulin Isotyping Kit | FCM | RUO | - | 100 tests | 550026 |
| Mouse Inflammation Kit | FCM | RUO | IL-6, IL-10, MCP-1, IFN- γ , TNF, IL-12p70 | 80 tests | 552364 |
| Mouse Inflammation Lyophilized Standard | FCM | RUO | IL-6, IL-10, MCP-1, TNF, IFN- γ , IL-12p70 | 1 vial | 620280 |
| Mouse Th1/Th2 Cytokine Kit | FCM | RUO | IL-2, IL-4, IL-5, IFN- γ , TNF | 80 tests | 551287 |
| Mouse Th1/Th2 Cytokine Lyophilized Standard | FCM | RUO | IL-2, IL-4, IL-5, IFN- γ , TNF | 1 vial | 552967 |
| Mouse Th1/Th2/Th17 Cytokine Kit | FCM | RUO | IL-2, IL-4, IL-6, IFN- γ , TNF, IL-17A, IL-10 | 80 tests | 560485 |

Mouse Research Reagents Product List

Immunoassays – ELISA Kits and Sets

| DESCRIPTION | APPS | REG | FORMAT | SIZE | CAT. NO. |
|--|------------|-----|--|---|----------|
| Assay Diluent | ELISA | RUO | | 500 mL | 555213 |
| BD OptEIA™ Reagent Set A (pH 6.5 buffer) | ELISA | RUO | Coating Buffer (pH 6.5), Assay Diluent, Wash Concentrate, Substrate, and Stop Solution | Reagents for 20 plates | 550536 |
| BD OptEIA™ Reagent Set B (pH 9.5 buffer) | ELISA | RUO | Coating Buffer (pH 9.5), Assay Diluent, Wash Concentrate, Substrate, and Stop Solution | Reagents for 20 plates | 550534 |
| Mouse IFN-γ ELISA Kit II | ELISA | RUO | | 2 plates | 558258 |
| Mouse IL-6 ELISA Kit | ELISA | RUO | | 2 plates | 550950 |
| Mouse Immunoglobulin Isotyping ELISA Kit | ELISA | RUO | - | 80 tests | 550487 |
| Mouse TNF ELISA Kit | ELISA Cap. | RUO | | 2 plates | 560478 |
| Mouse GM-CSF ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555167 |
| Mouse IFN-γ ELISA Set | ELISA | RUO | | 20 plates | 555138 |
| Mouse IFN-γ ELISA Set (AN-18) | ELISA | RUO | | 20 plates | 551866 |
| Mouse IgE ELISA Set | ELISA | RUO | | 20 plates | 555248 |
| Mouse IgG _{2a} ELISA Set | ELISA | RUO | | Reagents for 20 plates | 552576 |
| Mouse IL-1α ELISA Set | ELISA | RUO | | Reagents for 20 plates | 550347 |
| Mouse IL-1β ELISA Set | ELISA | RUO | | Reagents for 20 plates | 559603 |
| Mouse IL-2 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555148 |
| Mouse IL-3 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555228 |
| Mouse IL-4 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555232 |
| Mouse IL-5 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555236 |
| Mouse IL-6 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555240 |
| Mouse IL-10 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555252 |
| Mouse IL-12 (p40) ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555165 |
| Mouse IL-12 (p70) ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555256 |
| Mouse MCP-1 ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555260 |
| Mouse TNF (Mono/Mono) ELISA Set | ELISA | RUO | | Reagents for 20 plates | 555268 |
| Mouse TNF (Mono/Mono) ELISA Set II | ELISA | RUO | | Reagents for 20 plates | 558534 |
| TMB Substrate Reagent Set | ELISA | RUO | Buffered Solution/ Organic Solvent for BD OptEIA™ | 1 Set (300 mL each of 2 reagents) | 555214 |

Mouse Research Reagents Product List

Immunoassays – ELISA Pairs and Standards

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---------------------------------------|-------------|------------|------------------------------|------------------------------|--------------------|----------|----------|----------|
| C3a | Ms | I87-1162 | Rat IgG ₁ , κ | ELISA Cap. | RUO | Purified | 0.1 mg | 558250 |
| | | I87-419 | Rat IgG ₁ , κ | ELISA Det. | RUO | Biotin | 0.1 mg | 558251 |
| C3a Protein (native), mouse | | | | ELISA | RUO | | 10 tests | 558618 |
| C5a | Ms | I52-1486 | Rat IgG ₁ , κ | ELISA Cap. | RUO | Purified | 0.1 mg | 558027 |
| | | I52-278 | Rat IgG _{2a} , κ | ELISA Det. | RUO | Biotin | 0.1 mg | 558028 |
| C5a, Recombinant mouse | | | | ELISA Std. | RUO | | 10 tests | 622597 |
| GM-CSF | Ms | MP1-22E9 | Rat IgG _{2a} | ELISA Cap., FCM, WB | RUO | Purified | 0.5 mg | 554404 |
| | | MP1-31G6 | Rat IgG ₁ | ELISA Det., IP/WB | RUO | Biotin | 0.5 mg | 554407 |
| GM-CSF, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 10 µg | 554586 |
| IFN-γ | Ms | R4-6A2 | Rat IgG ₁ | ELISA Cap., WB | RUO | Purified | 1.0 mg | 551216 |
| | | XMG1.2 | Rat IgG ₁ , κ | ELISA Det. | RUO | Biotin | 0.5 mg | 554410 |
| IFN-γ, Recombinant mouse | Ms | | | ELISA Std., FA | RUO | | 10 µg | 554587 |
| Ig (multiple adsorption) | Ms | Polyclonal | Goat Ig | ELISA, WB | RUO | HRP | 1.0 mL | 554002 |
| IL-1α | Ms | ALF-161 | Armenian Hamster IgG1, λ 1 | ELISA Cap., IC/FCM, WB | RUO | Purified | 0.5 mg | 550604 |
| | | C1150-27 | Rabbit Ig | ELISA Det. | RUO | Biotin | 0.5 mg | 550606 |
| IL-1β | Ms | B122 | Armenian Hamster IgG1, λ 1 | ELISA Cap., IP/WB | RUO | Purified | 0.5 mg | 550605 |
| IL-1β, Recombinant mouse | Ms | | | ELISA Std., FA | RUO | | 5 µg | 554577 |
| IL-2 | Ms | JES6-1A12 | Rat IgG _{2a} | ELISA Cap., IP/WB | RUO | Purified | 0.5 mg | 554424 |
| | | JES6-5H4 | Rat IgG _{2b} | ELISA Det. | RUO | Biotin | 0.5 mg | 554426 |
| IL-2, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 20 µg | 550069 |
| IL-3 | Ms | MP2-43D1 | Rat IgG _{2a} | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554384 |
| | | | Rat IgG ₁ | ELISA Cap., IC/FCM Block | RUO | Purified | 0.5 mg | 554381 |
| IL-3, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 10 µg | 554579 |
| IL-4 | Ms | 11B11 | Rat IgG ₁ | ELISA Cap. | RUO | Purified | 0.5 mg | 554434 |
| | | BVD4-1D11 | Rat IgG _{2b} | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | 554387 |
| | | BVD6-24G2 | Rat IgG ₁ | ELISA Det. | RUO | Biotin | 0.5 mg | 554390 |
| IL-4, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 10 µg | 550067 |
| IL-5 | Hu, Ms | TRFK5 | Rat IgG ₁ | Block, ELISA Cap., WB | RUO | Purified | 0.1 mg | 554392 |
| | | | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | 554393 | |
| | Ms | TRFK4 | Rat IgG _{2a} | ELISA Det. | RUO | Biotin | 0.5 mg | 554397 |
| IL-5, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 5 µg | 554581 |
| IL-6 | Ms | MP5-20F3 | Rat IgG ₁ | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | 554400 |
| | | MP5-32C11 | Rat IgG _{2a} | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554402 |
| IL-6, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 5 µg | 554582 |
| IL-9 | Ms | D8402E8 | Rat IgG _{2a} | ELISA Cap. | RUO | Purified | 1.0 mg | 551218 |
| | | D9302C12 | Armenian Hamster IgG2, κ | ELISA Det. | RUO | Biotin | 0.5 mg | 554473 |
| IL-10 | Ms | JES5-16E3 | Rat IgG _{2b} | ELISA Det. | RUO | Biotin | 0.5 mg | 554465 |
| | | JES5-2A5 | Rat IgG ₁ , κ | ELISA Cap., WB | RUO | Purified | 1.0 mg | 551215 |
| | | SXC-1 | Rat IgM | ELISA Det. | RUO | Biotin | 0.5 mg | 554423 |
| IL-10, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 10 µg | 550070 |
| IL-12 (p40), Recombinant mouse | Ms | | | ELISA Std. | RUO | | 2 µg | 554594 |
| IL-12 (p40/p70) | Ms | C15.6 | Rat IgG ₁ | ELISA Cap. | RUO | Purified | 1.0 mg | 551219 |
| | | C17.8 | Rat IgG _{2a} | ELISA Det., IP, WB | RUO | Biotin | 0.5 mg | 554476 |
| IL-12 (p70) | Ms | 9A5 | Rat IgG _{2b} | ELISA Cap. | RUO | Purified | 0.5 mg | 554658 |
| IL-12 (p70), Recombinant mouse | Ms | | | ELISA Std., FA | RUO | | 5 µg | 554592 |
| IL-17A | Ms | TC11-18H10 | Rat IgG ₁ , κ | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.1 mg | 559501 |
| | | | ELISA Cap., IC/FCM Block, WB | RUO | Purified | 0.5 mg | 555068 | |
| | | TC11-8H4.1 | Rat IgG ₁ | ELISA Det., WB | RUO | Biotin | 0.5 mg | 555067 |
| MCP-1 | Ms | 4E2/MCP | Armenian Hamster IgG1, λ 1 | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554444 |
| | | Ms, Rat | 2H5 | Armenian Hamster IgG1, κ | ELISA Cap., IC/FCM | RUO | Purified | 1.0 mg |
| MCP-1, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 5 µg | 554590 |
| MIP-1β | Ms | A65-2 | Rat IgG ₁ , κ | ELISA Cap. | RUO | Purified | 0.5 mg | 556852 |
| TGF-β1 | Hu, Ms, Pig | A75-2 | Rat IgG _{2a} | ELISA Cap., WB | RUO | Purified | 0.5 mg | 555052 |
| | | A75-3 | Rat IgG _{2a} | ELISA Det. | RUO | Biotin | 0.5 mg | 555053 |

Mouse Research Reagents Product List

Immunoassays – ELISA Pairs and Standards

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|-------------------------------|---------|-----------|----------------------------|----------------------------------|-----|----------|--------|----------|
| TNF | Ms | MP6-XT3 | Rat IgG ₁ | ELISA Det., WB | RUO | Biotin | 0.5 mg | 554415 |
| | Ms, Rat | 516D1A1 | Human Fab Ig | ELISA Det. | RUO | Biotin | 0.5 mg | 558415 |
| | | C1150-14 | Rabbit Ig | ELISA Det. | RUO | Biotin | 0.5 mg | 557432 |
| | | G281-2626 | Rat IgG ₁ | ELISA Cap., WB | RUO | Purified | 1.0 mg | 551225 |
| | | TN3-19.12 | Armenian Hamster IgG1, λ 1 | ELISA Cap., IC/FCM Block, IP, WB | RUO | Purified | 0.5 mg | 557516 |
| TNF, Recombinant mouse | Ms | | | ELISA Std., FA, IC/FCM Block | RUO | | 10 µg | 554589 |

Mouse Research Reagents Product List

Immunoassays – ELISPOT

| DESCRIPTION | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|---------|-----|---------------------------------|-----------|---------------|
| AEC Substrate Set | ELISPOT | RUO | AEC Substrate and AEC Chromogen | 1 set | 551951 |
| Mouse IFN-γ ELISPOT Kit | ELISPOT | RUO | | 2 plates | 552569 |
| Mouse IFN-γ ELISPOT Pair | ELISPOT | RUO | | 5 plates | 551881 |
| Mouse IL-2 ELISPOT Pair | ELISPOT | RUO | | 5 plates | 551876 |
| Mouse IL-4 ELISPOT Pair | ELISPOT | RUO | | 5 plates | 551878 |
| Mouse IL-5 ELISPOT Pair | ELISPOT | RUO | | 5 plates | 551880 |
| Mouse IL-10 ELISPOT Pair | ELISPOT | RUO | | 5 plates | 557982 |
| Mouse TNF ELISPOT Pair | ELISPOT | RUO | | 5 plates | 551875 |
| Mouse IFN-γ ELISPOT Set | ELISPOT | RUO | | 10 plates | 551083 |
| Mouse IL-2 ELISPOT Set | ELISPOT | RUO | | 10 plates | 551076 |
| Mouse IL-4 ELISPOT Set | ELISPOT | RUO | | 10 plates | 551017 |
| Mouse IL-5 ELISPOT Set | ELISPOT | RUO | | 10 plates | 551075 |
| Mouse IL-6 ELISPOT Set | ELISPOT | RUO | | 10 plates | 552567 |
| Mouse TNF ELISPOT Set | ELISPOT | RUO | | 10 plates | 551491 |
| Streptavidin-HRP ELISPOT | ELISPOT | RUO | | 1.0 mL | 557630 |

Mouse Research Reagents Product List

Magnetic Cell Separation Reagents

| DESCRIPTION | REACT | CLONE | ISOTYPE | APPS | REG | FORMAT | SIZE | CAT. NO. |
|---|-------|---------|---------------------------------------|------|-----|--------------------|---------------------------|----------|
| CD4 Magnetic Particles - DM | Ms | GK1.5 | Rat (Lewis) IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 551539 |
| CD4 T Lymphocyte Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 1 x 10 ⁹ cells | 558131 |
| CD8 T Lymphocyte Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 1 x 10 ⁹ cells | 558471 |
| CD8a Magnetic Particles - DM | Ms | 53-6.7 | Rat (LOU/Ws1/M) IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 551516 |
| CD11b Magnetic Particles - DM | Ms | M1/70 | Rat (DA) IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 558013 |
| CD45R/B220 Magnetic Particles - DM | Ms | RA3-6B2 | Rat IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 551513 |
| CD90.2 (Thy1.2) Magnetic Particles - DM | Ms | 30-H12 | Rat (LOU/Ws1/M) IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 551518 |
| CD117 Magnetic Particles - DM (c-Kit) | Ms | 2B8 | Rat (Wistar) IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 558620 |
| B Lymphocyte Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 1 x 10 ⁹ cells | 557792 |
| Dendritic Cell Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 1 x 10 ⁹ cells | 557955 |
| Hematopoietic Progenitor Cell Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 2 x 10 ⁹ cells | 558451 |
| Ly-6G and Ly-6C (Gr-1) Magnetic Particles - DM | Ms | RB6-8C5 | Rat IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 2 x 10 ⁹ cells | 558111 |
| NK Cell Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 1 x 10 ⁹ cells | 557954 |
| NK Cell Separation Set - DM | Ms | DX5 | Rat (Lewis) IgM, κ | Sep | RUO | BD IMag-DM, PE | 2 x 10 ⁹ cells | 558004 |
| T Lymphocyte Enrichment Set - DM | Ms | | | Sep | RUO | BD IMag-DM, Biotin | 1 x 10 ⁹ cells | 557793 |
| Ter-119 Magnetic Particles - DM | Ms | TER-119 | Rat (Wistar) IgG _{2b} , κ | Sep | RUO | BD IMag-DM | 1 x 10 ⁹ cells | 558536 |

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

Cy™ is a trademark of Amersham Biosciences Corp. Cy dyes are subject to proprietary rights of Amersham Biosciences Corp and Carnegie Mellon University and are made and sold under license from Amersham Biosciences Corp only for research and in vitro diagnostic use. Any other use requires a commercial sublicense from Amersham Biosciences Corp, 800 Centennial Avenue, Piscataway, NJ 08855-1327, USA.

Alexa Fluor® is a registered trademark of Molecular Probes, Inc.

BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2011 BD

23-13161-00

