

Technical Data Sheet

BUV737 Mouse Anti-Human CD1a

Product Information

Material Number:	748901
Size:	50 µg
Clone:	SK9
Alternative Name:	CD1; T6/Leu-6; R4; T6; HTA-1; FCB6
Reactivity:	Human (Tested in Development)
Isotype:	Mouse IgG2b, κ
Immunogen:	Human Thymocytes
Application:	Flow cytometry (Qualified)
Concentration:	0.2 mg/ml
Entrez Gene ID:	909
Storage Buffer:	Aqueous buffered solution containing ≤0.09% sodium azide.

Description

The SK9 monoclonal antibody specifically recognizes CD1a. CD1a is a ~49 kDa type I transmembrane glycoprotein that associates non-covalently with β2-microglobulin. The CD1a antigen is present on 60% to 90% of thymocytes, some T-cell leukemias and lymphomas, Langerhans cells, and a subset of dendritic cells. The CD1a antibody does not react with peripheral blood T and B lymphocytes, monocytes, normal bone marrow mononuclear cells, or normal tonsillar B and T lymphocytes. The CD1a antigen has structural similarities to MHC class I antigens and plays a role in the presentation of non-peptide antigens.

The antibody was conjugated to BD Horizon™ BUV737 which is part of the BD Horizon Brilliant™ Ultraviolet family of dyes. This dye is a tandem fluorochrome of BD Horizon BUV395 with an Ex Max of 348-nm and an acceptor dye with an Em Max at 737-nm. BD Horizon Brilliant BUV737 can be excited by the ultraviolet laser (355 nm) and detected with a 740/35 filter. Due to the excitation of the acceptor dye by other laser lines, there may be significant spillover into channels detecting Alexa Fluor® 700-like dyes (eg, 712/20-nm filter).

Due to spectral differences between labeled cells and beads, using BD™ CompBeads can result in incorrect spillover values when used with BD Horizon BUV737 reagents. Therefore, the use of BD CompBeads or BD CompBeads Plus to determine spillover values for these reagents is not recommended. Different BUV737 reagents (eg, CD4 vs. CD45) can have slightly different fluorescence spillover therefore, it may also be necessary to use clone specific compensation controls when using these reagents.

Preparation and Storage Section

Store undiluted at 4°C and protected from prolonged exposure to light. Do not freeze. The monoclonal antibody was purified from tissue culture supernatant or ascites by affinity chromatography. The antibody was conjugated with BD Horizon BUV737 under optimal conditions that minimize unconjugated dye and antibody.

Recommended Assay Procedure

For optimal and reproducible results, BD Horizon Brilliant Stain Buffer should be used anytime two or more BD Horizon Brilliant dyes (including BD OptiBuild Brilliant reagents) are used in the same experiment. Fluorescent dye interactions may cause staining artifacts which may affect data interpretation. The BD Horizon Brilliant Stain Buffer was designed to minimize these interactions. More information can be found in the Technical Data Sheet of the BD Horizon Brilliant Stain Buffer (Cat. No. 563794).

Suggested Companion Products

Catalog Number	Name	Size	Clone
564429	BUV737 Mouse IgG2b, κ Isotype Control RUO	50 µg	
349202	Lysing Solution 10X Concentrate IVD	100 NA	
564219	Human BD Fc Block™ RUO	50 mg	
554656	Stain Buffer (FBS) RUO	500 mL	
554657	Stain Buffer (BSA) RUO	500 mL	
563794	Brilliant Stain Buffer RUO	100 Tests	

Product Notices

1. This antibody was developed for use in flow cytometry.
2. The production process underwent stringent testing and validation to assure that it generates a high-quality conjugate with consistent performance and specific binding activity. However, verification testing has not been performed on all conjugate lots.
3. Researchers should determine the optimal concentration of this reagent for their individual applications.
4. An isotype control should be used at the same concentration as the antibody of interest.
5. Caution: Sodium azide yields highly toxic hydrazoic acid under acidic conditions. Dilute azide compounds in running water before discarding to avoid accumulation of potentially explosive deposits in plumbing.
6. For fluorochrome spectra and suitable instrument settings, please refer to our Multicolor Flow Cytometry web page at wwwbdbiosciences.com/colors.
7. Please refer to wwwbdbiosciences.com/us/s/resources for technical protocols.
8. BD Horizon Brilliant Stain Buffer is covered by one or more of the following US patents: 8,110,673; 8,158,444; 8,575,303; 8,354,239.
9. BD Horizon Brilliant Ultraviolet 737 is covered by one or more of the following US patents: 8,110,673; 8,158,444; 8,227,187; 8,575,303; 8,354,239.

References

- Boumsell L, Amiot M, Raynal B, Gay-Bellile V, Caillou B, Bernard A. Epitope groups of CD1 molecules. In: Reinherz EL, Ellis L, Reinherz .. et al., ed. *Leukocyte typing II*. New York: Springer-Verlag; 1986; :289-302.
- Dalloul AH, Patry C, Salamero J, Canque B, Grassi F, Schmitt C. Functional and phenotypic analysis of thymic CD34+CD1a progenitor-derived dendritic cells: predominance of CD1a+ differentiation pathway.. *J Immunol*. 1999; 162(10):5821-8. (Biology: Flow cytometry).
- Foon KA, Gale RP, Todd RF. Recent advances in the immunologic classification of leukemia.. *Semin Hematol*. 1986; 23(4):257-83. (Biology: Flow cytometry).
- Ito T, Inaba M, Inaba K, et al. A CD1a+/CD11c+ subset of human blood dendritic cells is a direct precursor of Langerhans cells.. *J Immunol*. 1999; 163(3):1409-19. (Biology: Flow cytometry).
- Martin LH, Calabi F, Lefebvre FA, Bilisland CA, Milstein C. Structure and expression of the human thymocyte antigens CD1a, CD1b, and CD1c.. *Proc Natl Acad Sci USA*. 1987; 84(24):9189-93. (Biology: Flow cytometry).
- Wood GS, Burns BF, Dorfman RF, Warnke RA. The immunohistology of non-T cells in the acquired immunodeficiency syndrome.. *Am J Pathol*. 1985; 120(3):371-9. (Biology: Flow cytometry).
- Wood GS, Warner NL, Warnke RA. Anti-Leu-3/T4 antibodies react with cells of monocyte/macrophage and Langerhans lineage. *J Immunol*. 1983; 131(1):212-216. (Clone-specific: Flow cytometry).

BD Biosciences

bdbiosciences.com

United States
877.232.8995

Canada
888.268.5430

Europe
32.53.720.550

Japan
0120.8555.90

Asia Pacific
65.6861.0633

Latin America/Caribbean
0800.771.7157



For country contact information, visit bdbiosciences.com/contact

Conditions: The information disclosed herein is not to be construed as a recommendation to use the above product in violation of any patents. BD Biosciences will not be held responsible for a patent infringement or other violations that may occur with the use of our products. Purchase does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written authorization of Becton Dickinson and Company is strictly prohibited. For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale.

©2020 BD. All rights reserved. Unless otherwise noted, BD, the BD Logo and all other trademarks are the property of Becton, Dickinson and Company or its affiliates.